

Reference List

- (1) Phenylpropanolamine for weight reduction. *Med Lett Drugs Ther* 1984 June 8;26(663):55-6.
- (2) Abell CA, Farquhar DL, Galloway SM, Steven F, Philip AE, Munro JF. Placebo controlled double-blind trial of fluvoxamine maleate in the obese. *J Psychosom Res* 1986;30(2):143-6.
- (3) Abramson R, Garg M, Cioffari A, Rotman PA. An evaluation of behavioral techniques reinforced with an anorectic drug in a double-blind weight loss study. *J Clin Psychiatry* 1980 July;41(7):234-7.
- (4) Akobeng AK, Miller V, Stanton J, Elbadri AM, Thomas AG. Double-blind randomized controlled trial of glutamine-enriched polymeric diet in the treatment of active Crohn's disease. *J Pediatr Gastroenterol Nutr* 2000 January;30(1):78-84.
- (5) Alger S, Larson K, Boyce VL et al. Effect of phenylpropanolamine on energy expenditure and weight loss in overweight women. *Am J Clin Nutr* 1993 February;57(2):120-6.
- (6) Alger S, Larson K, Boyce VL et al. Effect of phenylpropanolamine on energy expenditure and weight loss in overweight women. *Am J Clin Nutr* 1993 February;57(2):120-6.
- (7) Altschuler S, Conte A, Sebok M, Marlin RL, Winick C. Three controlled trials of weight loss with phenylpropanolamine. *Int J Obes* 1982;6(6):549-56.
- (8) Andersen PH, Richelsen B, Bak J et al. Influence of short-term dexfenfluramine therapy on glucose and lipid metabolism in obese non-diabetic patients. *Acta Endocrinol (Copenh)* 1993 March;128(3):251-8.
- (9) Andersen T, Fogh J. Weight loss and delayed gastric emptying following a South American herbal preparation in overweight patients. *J Hum Nutr Diet* 2001 June;14(3):243-50.
- (10) Astrup A, Buemann B, Christensen NJ et al. The effect of ephedrine/caffeine mixture on energy expenditure and body composition in obese women. *Metabolism* 1992 July;41(7):686-8.
- (11) Astrup A, Toubro S, Cannon S, Hein P, Madsen J. Thermogenic synergism between ephedrine and caffeine in healthy volunteers: a double-blind, placebo-controlled study. *Metabolism* 1991 March;40(3):323-9.
- (12) Astrup A, Buemann B, Christensen NJ et al. The effect of ephedrine/caffeine mixture on energy expenditure and body composition in obese women. *Metabolism* 1992 July;41(7):686-8.
- (13) Astrup A, Breum L, Toubro S, Hein P, Quaade F. The effect and safety of an ephedrine/caffeine compound compared to ephedrine, caffeine, and placebo in

- obese subjects on an energy restricted diet. A double blind trial. *Int J Obes Relat Metab Disord* 1992 April;16(4):269-77.
- (14) Atkinson RL, Berke LK, Drake CR, Bibbs ML, Williams FL, Kaiser DL. Effects of long-term therapy with naltrexone on body weight in obesity. *Clin Pharmacol Ther* 1985 October;38(4):419-22.
 - (15) Atkinson RL, Greenway FL, Bray GA et al. Treatment of obesity: comparison of physician and nonphysician therapists using placebo and anorectic drugs in a double-blind trial. *Int J Obes* 1977;1(2):113-20.
 - (16) Baird IM, Howard AN. A double-blind trial of mazindol using a very low calorie formula diet. *Int J Obes* 1977;1(3):271-8.
 - (17) Phenylpropanolamine for weight reduction. *Med Lett Drugs Ther* 1984 June 8;26(663):55-6.
 - (18) Benjamin SB, Maher KA, Cattau EL, Jr. et al. Double-blind controlled trial of the Garren-Edwards gastric bubble: an adjunctive treatment for exogenous obesity. *Gastroenterology* 1988 September;95(3):581-8.
 - (19) Berkowitz RI, Wadden TA, Tershakovec AM, Cronquist JL. Behavior therapy and sibutramine for the treatment of adolescent obesity: a randomized controlled trial. *JAMA* 2003 April 9;289(14):1805-12.
 - (20) Bigelow GE, Griffiths RR, Liebson I, Kaliszak JE. Double-blind evaluation of reinforcing and anorectic actions of weight control medications. Interaction of pharmacological and behavioral treatments. *Arch Gen Psychiatry* 1980 October;37(10):1118-23.
 - (21) Birketvedt GS, Aaseth J, Florholmen JR, Ryttig K. Long-term effect of fibre supplement and reduced energy intake on body weight and blood lipids in overweight subjects. *Acta Medica (Hradec Kralove)* 2000;43(4):129-32.
 - (22) Birketvedt GS, Thom E, Bernersen B, Florholmen J. Combination of diet, exercise, and intermittent treatment of cimetidine on body weight and maintenance of weight loss. A 42 months follow-up study. *Med Sci Monit* 2000 July;6(4):699-703.
 - (23) Bitsch M, Skrumsager BK. Femoxetine in the treatment of obese patients in general practice. A randomized group comparative study with placebo. *Int J Obes* 1987;11(2):183-90.
 - (24) Bondi M, Menozzi R, Bertolini M, Venneri MG, Del Rio G. Metabolic effects of fluoxetine in obese menopausal women. *J Endocrinol Invest* 2000 May;23(5):280-6.
 - (25) Boozer CN, Nasser JA, Heymsfield SB, Wang V, Chen G, Solomon JL. An herbal supplement containing Ma Huang-Guarana for weight loss: a randomized, double-blind trial. *Int J Obes Relat Metab Disord* 2001 March;25(3):316-24.

- (26) Borovicka MC, Fuller MA, Konicki PE, White JC, Steele VM, Jaskiw GE. Phenylpropanolamine appears not to promote weight loss in patients with schizophrenia who have gained weight during clozapine treatment. *J Clin Psychiatry* 2002 April;63(4):345-8.
- (27) Bosch B, Venter I, Stewart RI, Bertram SR. Human chorionic gonadotrophin and weight loss. A double-blind, placebo-controlled trial. *S Afr Med J* 1990 February 17;77(4):185-9.
- (28) Bratusch-Marrain P, Dudczak R, Waldhausl W. [Weight reduction in obese diabetics: a double-blind study of diethylpropionate (author's transl)]. *Wien Klin Wochenschr* 1979 June 22;91(13):455-8.
- (29) Bray GA, Ryan DH, Gordon D, Heidingsfelder S, Cerise F, Wilson K. A double-blind randomized placebo-controlled trial of sibutramine. *Obes Res* 1996 May;4(3):263-70.
- (30) Breum L, Pedersen JK, Ahlstrom F, Frimodt-Moller J. Comparison of an ephedrine/caffeine combination and dexfenfluramine in the treatment of obesity. A double-blind multi-centre trial in general practice. *Int J Obes Relat Metab Disord* 1994 February;18(2):99-103.
- (31) Broom I, Wilding J, Stott P, Myers N. Randomised trial of the effect of orlistat on body weight and cardiovascular disease risk profile in obese patients: UK Multimorbidity Study. *Int J Clin Pract* 2002 September;56(7):494-9.
- (32) Bross R, Hoffer LJ. Fluoxetine increases resting energy expenditure and basal body temperature in humans. *Am J Clin Nutr* 1995 May;61(5):1020-5.
- (33) Brun LD, Biemann P, Gagne C, Moorjani S, Nadeau A, Lupien PJ. Effects of fenfluramine in hypertriglyceridemic obese subjects. *Int J Obes* 1988;12(5):423-31.
- (34) Phenylpropanolamine for weight reduction. *Med Lett Drugs Ther* 1984 June 8;26(663):55-6.
- (35) Buemann B, Marckmann P, Christensen NJ, Astrup A. The effect of ephedrine plus caffeine on plasma lipids and lipoproteins during a 4.2 MJ/day diet. *Int J Obes Relat Metab Disord* 1994 May;18(5):329-32.
- (36) Burge JC, Goon A, Choban PS, Flancbaum L. Efficacy of hypocaloric total parenteral nutrition in hospitalized obese patients: a prospective, double-blind randomized trial. *JPEN J Parenter Enteral Nutr* 1994 May;18(3):203-7.
- (37) Cairella M, Pisculli M, Petraroli AR, Riganelli S, Saracino A, Siani V. [Clinical observations on the treatment of obese patients with dexfenfluramine]. *Clin Ter* 1990 June 15;133(5):289-97.
- (38) Carney DE, Tweddell ED. Double blind evaluation of long acting diethylpropion hydrochloride in obese patients from a general practice. *Med J Aust* 1975 January 4;1(1):13-5.

- (39) Carvajal A, Garcia dP, Martin dD, I, Rueda de Castro AM, Velasco A. Efficacy of fenfluramine and dexfenfluramine in the treatment of obesity: a meta-analysis. *Methods Find Exp Clin Pharmacol* 2000 June;22(5):285-90.
- (40) Ceci F, Cangiano C, Cairella M et al. The effects of oral 5-hydroxytryptophan administration on feeding behavior in obese adult female subjects. *J Neural Transm* 1989;76(2):109-17.
- (41) Chabrol H, Peresson G, Callahan S. About orlistat. *Eat Weight Disord* 2001 September;6(3):171-3.
- (42) Chow CC, Ko GT, Tsang LW, Yeung VT, Chan JC, Cockram CS. Dexfenfluramine in obese Chinese NIDDM patients. A placebo-controlled investigation of the effects on body weight, glycemic control, and cardiovascular risk factors. *Diabetes Care* 1997 July;20(7):1122-7.
- (43) Cincotta AH, Meier AH. Bromocriptine (Ergoset) reduces body weight and improves glucose tolerance in obese subjects. *Diabetes Care* 1996 June;19(6):667-70.
- (44) Collis N, Elliot LA, Sharpe C, Sharpe DT. Cellulite treatment: a myth or reality: a prospective randomized, controlled trial of two therapies, endermologie and aminophylline cream. *Plast Reconstr Surg* 1999 September;104(4):1110-4.
- (45) Connacher AA, Bennet WM, Jung RT. Clinical studies with the beta-adrenoceptor agonist BRL 26830A. *Am J Clin Nutr* 1992 January;55(1 Suppl):258S-61S.
- (46) Connacher AA, Jung RT, Mitchell PE. Weight loss in obese subjects on a restricted diet given BRL 26830A, a new atypical beta adrenoceptor agonist. *Br Med J (Clin Res Ed)* 1988 April 30;296(6631):1217-20.
- (47) Connolly VM, Gallagher A, Kesson CM. A study of fluoxetine in obese elderly patients with type 2 diabetes. *Diabet Med* 1995 May;12(5):416-8.
- (48) Cook RF, Howard AN, Mills IH. Low-dose mianserin as adjuvant therapy in obese patients treated by a very-low-calorie diet. *Int J Obes* 1981;5(3):267-72.
- (49) Cuellar GE, Ruiz AM, Monsalve MC, Berber A. Six-month treatment of obesity with sibutramine 15 mg; a double-blind, placebo-controlled monocenter clinical trial in a Hispanic population. *Obes Res* 2000 January;8(1):71-82.
- (50) Phenylpropanolamine for weight reduction. *Med Lett Drugs Ther* 1984 June 8;26(663):55-6.
- (51) Damsbo P, Hermann LS, Vaag A, Hother-Nielsen O, Beck-Nielsen H. Irreversibility of the defect in glycogen synthase activity in skeletal muscle from obese patients with NIDDM treated with diet and metformin. *Diabetes Care* 1998 September;21(9):1489-94.

- (52) Darga LL, Carroll-Michals L, Botsford SJ, Lucas CP. Fluoxetine's effect on weight loss in obese subjects. *Am J Clin Nutr* 1991 August;54(2):321-5.
- (53) Daubresse JC, Kolanowski J, Krzentowski G, Kutnowski M, Scheen A, Van Gaal L. Usefulness of fluoxetine in obese non-insulin-dependent diabetics: a multicenter study. *Obes Res* 1996 July;4(4):391-6.
- (54) Davidson MH, Hauptman J, DiGirolamo M et al. Weight control and risk factor reduction in obese subjects treated for 2 years with orlistat: a randomized controlled trial. *JAMA* 1999 January 20;281(3):235-42.
- (55) Davila-Cervantes A, Borunda D, Dominguez-Cherit G et al. Open versus laparoscopic vertical banded gastroplasty: a randomized controlled double blind trial. *Obes Surg* 2002 December;12(6):812-8.
- (56) Ditschuneit HH, Flechtner-Mors M, Adler G. The effects of dexfenfluramine on weight loss and cardiovascular risk factors in female patients with upper and lower body obesity. *J Cardiovasc Risk* 1996 August;3(4):397-403.
- (57) Douglas JG, Gough J, Preston PG et al. Long-term efficacy of fenfluramine in treatment of obesity. *Lancet* 1983 February 19;1(8321):384-6.
- (58) Drent ML, Popp-Snijders C, Ader HJ, Jansen JB, van der Veen EA. Lipase inhibition and hormonal status, body composition and gastrointestinal processing of a liquid high-fat mixed meal in moderately obese subjects. *Obes Res* 1995 November;3(6):573-81.
- (59) Drent ML, Zelissen PM, Koppeschaar HP, Nieuwenhuyzen Kruseman AC, Lutterman JA, van der Veen EA. The effect of dexfenfluramine on eating habits in a Dutch ambulatory android overweight population with an overconsumption of snacks. *Int J Obes Relat Metab Disord* 1995 May;19(5):299-304.
- (60) Drent ML, Larsson I, William-Olsson T et al. Orlistat (Ro 18-0647), a lipase inhibitor, in the treatment of human obesity: a multiple dose study. *Int J Obes Relat Metab Disord* 1995 April;19(4):221-6.
- (61) Drent ML, van der Veen EA. Lipase inhibition: a novel concept in the treatment of obesity. *Int J Obes Relat Metab Disord* 1993 April;17(4):241-4.
- (62) Dujovne CA, Zavoral JH, Rowe E, Mendel CM. Effects of sibutramine on body weight and serum lipids: a double-blind, randomized, placebo-controlled study in 322 overweight and obese patients with dyslipidemia. *Am Heart J* 2001 September;142(3):489-97.
- (63) Elliott BJ. A double-blind controlled study of the use of diethylpropion hydrochloride (Tenuate) in obese patients in a rural practice. *N Z Med J* 1978 October 25;88(622):321-2.
- (64) Enzi G, Crepaldi G, Inelmen EM, Bruni R, Baggio B. Efficacy and safety of dexfenfluramine in obese patients: a multicenter study. *Clin Neuropharmacol* 1988;11 Suppl 1:S173-S178.

- (65) Ettinger MP, Littlejohn TW, Schwartz SL et al. Recombinant variant of ciliary neurotrophic factor for weight loss in obese adults: a randomized, dose-ranging study. *JAMA* 2003 April 9;289(14):1826-32.
- (66) Fanghanel G, Cortinas L, Sanchez-Reyes L, Berber A. Second phase of a double-blind study clinical trial on Sibutramine for the treatment of patients suffering essential obesity: 6 months after treatment cross-over. *Int J Obes Relat Metab Disord* 2001 May;25(5):741-7.
- (67) Fanghanel G, Cortinas L, Sanchez-Reyes L, Berber A. A clinical trial of the use of sibutramine for the treatment of patients suffering essential obesity. *Int J Obes Relat Metab Disord* 2000 February;24(2):144-50.
- (68) Phenylpropanolamine for weight reduction. *Med Lett Drugs Ther* 1984 June 8;26(663):55-6.
- (69) Fanghanel G, Cortinas L, Sanchez-Reyes L, Berber A. Second phase of a double-blind study clinical trial on Sibutramine for the treatment of patients suffering essential obesity: 6 months after treatment cross-over. *Int J Obes Relat Metab Disord* 2001 May;25(5):741-7.
- (70) Fanghanel G, Cortinas L, Sanchez-Reyes L, Berber A. A clinical trial of the use of sibutramine for the treatment of patients suffering essential obesity. *Int J Obes Relat Metab Disord* 2000 February;24(2):144-50.
- (71) Faria AN, Ribeiro Filho FF, Lerario DD, Kohlmann N, Ferreira SR, Zanella MT. Effects of sibutramine on the treatment of obesity in patients with arterial hypertension. *Arq Bras Cardiol* 2002 February;78(2):172-80.
- (72) Ferguson JM. Fluoxetine-induced weight loss in overweight, nondepressed subjects. *Am J Psychiatry* 1986 November;143(11):1496.
- (73) Fernandez-Soto ML, Gonzalez-Jimenez A, Barredo-Acedo F, Luna del Castillo JD, Escobar-Jimenez F. Comparison of fluoxetine and placebo in the treatment of obesity. *Ann Nutr Metab* 1995;39(3):159-63.
- (74) Finer N, Bloom SR, Frost GS, Banks LM, Griffiths J. Sibutramine is effective for weight loss and diabetic control in obesity with type 2 diabetes: a randomised, double-blind, placebo-controlled study. *Diabetes Obes Metab* 2000 April;2(2):105-12.
- (75) Finer N, James WP, Kopelman PG, Lean ME, Williams G. One-year treatment of obesity: a randomized, double-blind, placebo-controlled, multicentre study of orlistat, a gastrointestinal lipase inhibitor. *Int J Obes Relat Metab Disord* 2000 March;24(3):306-13.
- (76) Finer N. Body weight evolution during dexfenfluramine treatment after initial weight control. *Int J Obes Relat Metab Disord* 1992 December;16 Suppl 3:S25-S29.

- (77) Finer N, Finer S, Naoumova RP. Drug therapy after very-low-calorie diets. *Am J Clin Nutr* 1992 July;56(1 Suppl):195S-8S.
- (78) Finer N, Craddock D, Lavielle R, Keen H. Effect of 6 months therapy with dexfenfluramine in obese patients: studies in the United Kingdom. *Clin Neuropharmacol* 1988;11 Suppl 1:S179-S186.
- (79) Fujioka K, Seaton TB, Rowe E et al. Weight loss with sibutramine improves glycaemic control and other metabolic parameters in obese patients with type 2 diabetes mellitus. *Diabetes Obes Metab* 2000 June;2(3):175-87.
- (80) Gadde KM, Franciscy DM, Wagner HR, Krishnan KR. Zonisamide for weight loss in obese adults: a randomized controlled trial. *JAMA* 2003 April 9;289(14):1820-5.
- (81) Gadde KM, Parker CB, Maner LG et al. Bupropion for weight loss: an investigation of efficacy and tolerability in overweight and obese women. *Obes Res* 2001 September;9(9):544-51.
- (82) Galletly C, Clark A, Tomlinson L. Evaluation of dexfenfluramine in a weight loss program for obese infertile women. *Int J Eat Disord* 1996 March;19(2):209-12.
- (83) Garrow J. Does cimetidine cause weight loss? *BMJ* 1993 April 24;306(6885):1084.
- (84) Geliebter A, Melton PM, Gage D, McCray RS, Hashim SA. Gastric balloon to treat obesity: a double-blind study in nondieting subjects. *Am J Clin Nutr* 1990 April;51(4):584-8.
- (85) Phenylpropanolamine for weight reduction. *Med Lett Drugs Ther* 1984 June 8;26(663):55-6.
- (86) Gokcel A, Karakose H, Ertorer EM, Tanaci N, Tutuncu NB, Guvener N. Effects of sibutramine in obese female subjects with type 2 diabetes and poor blood glucose control. *Diabetes Care* 2001 November;24(11):1957-60.
- (87) Goldstein DJ, Rampey AH, Jr., Roback PJ et al. Efficacy and safety of long-term fluoxetine treatment of obesity--maximizing success. *Obes Res* 1995 November;3 Suppl 4:481S-90S.
- (88) Goldstein DJ, Rampey AH, Jr., Enas GG, Potvin JH, Fludzinski LA, Levine LR. Fluoxetine: a randomized clinical trial in the treatment of obesity. *Int J Obes Relat Metab Disord* 1994 March;18(3):129-35.
- (89) Goodall E, Oxtoby C, Richards R, Watkinson G, Brown D, Silverstone T. A clinical trial of the efficacy and acceptability of D-fenfluramine in the treatment of neuroleptic-induced obesity. *Br J Psychiatry* 1988 August;153:208-13.
- (90) Gray DS, Fujioka K, Devine W, Bray GA. A randomized double-blind clinical trial of fluoxetine in obese diabetics. *Int J Obes Relat Metab Disord* 1992 December;16 Suppl 4:S67-S72.

- (91) Gray DS, Fujioka K, Devine W, Bray GA. Fluoxetine treatment of the obese diabetic. *Int J Obes Relat Metab Disord* 1992 March;16(3):193-8.
- (92) Greenway F, Herber D, Raum W, Herber D, Morales S. Double-blind, randomized, placebo-controlled clinical trials with non-prescription medications for the treatment of obesity. *Obes Res* 1999 July;7(4):370-8.
- (93) Greenway F. A double-blind clinical evaluation of the anorectic activity of phenylpropanolamine versus placebo. *Clin Ther* 1989 September;11(5):584-9.
- (94) Greenway FL, Raum WJ, DeLany JP. The effect of an herbal dietary supplement containing ephedrine and caffeine on oxygen consumption in humans. *J Altern Complement Med* 2000 December;6(6):553-5.
- (95) Gropper SS, Acosta PB. The therapeutic effect of fiber in treating obesity. *J Am Coll Nutr* 1987 December;6(6):533-5.
- (96) Guy-Grand B, Apfelbaum M, Crepaldi G, Gries A, Lefebvre P, Turner P. International trial of long-term dexfenfluramine in obesity. *Lancet* 1989 November 11;2(8672):1142-5.
- (97) Gwirtsman H, Kaye W, Weintraub M, Jimerson DC. Pharmacologic treatment of eating disorders. *Psychiatr Clin North Am* 1984 December;7(4):863-78.
- (98) Halpern A, Mancini MC, Suplicy H et al. Latin-American trial of orlistat for weight loss and improvement in glycaemic profile in obese diabetic patients. *Diabetes Obes Metab* 2003 May;5(3):180-8.
- (99) Halpern A, Leite CC, Herszkowicz N, Barbato A, Costa AP. Evaluation of efficacy, reliability, and tolerability of sibutramine in obese patients, with an echocardiographic study. *Rev Hosp Clin Fac Med Sao Paulo* 2002 May;57(3):98-102.
- (100) Hanefeld M, Sachse G. The effects of orlistat on body weight and glycaemic control in overweight patients with type 2 diabetes: a randomized, placebo-controlled trial. *Diabetes Obes Metab* 2002 November;4(6):415-23.
- (101) Hanotin C, Thomas F, Jones SP, Leutenegger E, Drouin P. A comparison of sibutramine and dexfenfluramine in the treatment of obesity. *Obes Res* 1998 July;6(4):285-91.
- (102) Hanotin C, Thomas F, Jones SP, Leutenegger E, Drouin P. Efficacy and tolerability of sibutramine in obese patients: a dose-ranging study. *Int J Obes Relat Metab Disord* 1998 January;22(1):32-8.
- (103) Hansen D, Astrup A, Toubro S et al. Predictors of weight loss and maintenance during 2 years of treatment by sibutramine in obesity. Results from the European multi-centre STORM trial. Sibutramine Trial of Obesity Reduction and Maintenance. *Int J Obes Relat Metab Disord* 2001 April;25(4):496-501.

- (104) Hansen DL, Toubro S, Stock MJ, Macdonald IA, Astrup A. The effect of sibutramine on energy expenditure and appetite during chronic treatment without dietary restriction. *Int J Obes Relat Metab Disord* 1999 October;23(10):1016-24.
- (105) Haslett C, Douglas JG, Chalmers SR, Weighill A, Munro JF. A double-blind evaluation of evening primrose oil as an antiobesity agent. *Int J Obes* 1983;7(6):549-53.
- (106) Haugen HN. Double blind cross-over study of a new appetite suppressant AN 448. *Eur J Clin Pharmacol* 1975;8(1):71-4.
- (107) Phenylpropanolamine for weight reduction. *Med Lett Drugs Ther* 1984 June 8;26(663):55-6.
- (108) Hauner H, Petzinna D, Sommerauer B, Toplak H. Effect of acarbose on weight maintenance after dietary weight loss in obese subjects. *Diabetes Obes Metab* 2001 December;3(6):423-7.
- (109) Hauptman J, Lucas C, Boldrin MN, Collins H, Segal KR. Orlistat in the long-term treatment of obesity in primary care settings. *Arch Fam Med* 2000 February;9(2):160-7.
- (110) Hazenberg BP. Randomized, double-blind, placebo-controlled, multicenter study of sibutramine in obese hypertensive patients. *Cardiology* 2000;94(3):152-8.
- (111) Heini AF, Lara-Castro C, Schneider H, Kirk KA, Considine RV, Weinsier RL. Effect of hydrolyzed guar fiber on fasting and postprandial satiety and satiety hormones: a double-blind, placebo-controlled trial during controlled weight loss. *Int J Obes Relat Metab Disord* 1998 September;22(9):906-9.
- (112) Heymsfield SB, Segal KR, Hauptman J et al. Effects of weight loss with orlistat on glucose tolerance and progression to type 2 diabetes in obese adults. *Arch Intern Med* 2000 May 8;160(9):1321-6.
- (113) Heymsfield SB, Greenberg AS, Fujioka K et al. Recombinant leptin for weight loss in obese and lean adults: a randomized, controlled, dose-escalation trial. *JAMA* 1999 October 27;282(16):1568-75.
- (114) Heymsfield SB, Allison DB, Vasselli JR, Pietrobelli A, Greenfield D, Nunez C. *Garcinia cambogia* (hydroxycitric acid) as a potential antiobesity agent: a randomized controlled trial. *JAMA* 1998 November 11;280(18):1596-600.
- (115) Hill JO, Hauptman J, Anderson JW et al. Orlistat, a lipase inhibitor, for weight maintenance after conventional dieting: a 1-y study. *Am J Clin Nutr* 1999 June;69(6):1108-16.
- (116) Hoeger WW, Harris C, Long EM, Hopkins DR. Four-week supplementation with a natural dietary compound produces favorable changes in body composition. *Adv Ther* 1998 September;15(5):305-14.

- (117) Hogan RB, Johnston JH, Long BW et al. A double-blind, randomized, sham-controlled trial of the gastric bubble for obesity. *Gastrointest Endosc* 1989 September;35(5):381-5.
- (118) Holdaway IM, Wallace E, Westbrooke L, Gamble G. Effect of dexfenfluramine on body weight, blood pressure, insulin resistance and serum cholesterol in obese individuals. *Int J Obes Relat Metab Disord* 1995 October;19(10):749-51.
- (119) Hollander PA, Elbein SC, Hirsch IB et al. Role of orlistat in the treatment of obese patients with type 2 diabetes. A 1-year randomized double-blind study. *Diabetes Care* 1998 August;21(8):1288-94.
- (120) Holman SL, Goldstein DJ, Enas GG. Pattern analysis method for assessing successful weight reduction. *Int J Obes Relat Metab Disord* 1994 May;18(5):281-5.
- (121) Hukshorn CJ, Westerterp-Plantenga MS, Saris WH. Pegylated human recombinant leptin (PEG-OB) causes additional weight loss in severely energy-restricted, overweight men. *Am J Clin Nutr* 2003 April;77(4):771-6.
- (122) Hukshorn CJ, van Dielen FM, Buurman WA, Westerterp-Plantenga MS, Campfield LA, Saris WH. The effect of pegylated recombinant human leptin (PEG-OB) on weight loss and inflammatory status in obese subjects. *Int J Obes Relat Metab Disord* 2002 April;26(4):504-9.
- (123) Hukshorn CJ, Saris WH, Westerterp-Plantenga MS, Farid AR, Smith FJ, Campfield LA. Weekly subcutaneous pegylated recombinant native human leptin (PEG-OB) administration in obese men. *J Clin Endocrinol Metab* 2000 November;85(11):4003-9.
- (124) Jain AK, Kaplan RA, Gadde KM et al. Bupropion SR vs. placebo for weight loss in obese patients with depressive symptoms. *Obes Res* 2002 October;10(10):1049-56.
- (125) James WP, Astrup A, Finer N et al. Effect of sibutramine on weight maintenance after weight loss: a randomised trial. STORM Study Group. Sibutramine Trial of Obesity Reduction and Maintenance. *Lancet* 2000 December 23;356(9248):2119-25.
- (126) James WP, Avenell A, Broom J, Whitehead J. A one-year trial to assess the value of orlistat in the management of obesity. *Int J Obes Relat Metab Disord* 1997 June;21 Suppl 3:S24-S30.
- (127) Johnson WG, Hughes JR. Mazindol: its efficacy and mode of action in generating weight loss. *Addict Behav* 1979;4(3):237-44.
- (128) Jonderko K, Kucio C. Effect of anti-obesity drugs promoting energy expenditure, yohimbine and ephedrine, on gastric emptying in obese patients. *Aliment Pharmacol Ther* 1991 August;5(4):413-8.

- (129) Kalman D, Incledon T, Gaunaud I, Schwartz H, Krieger D. An acute clinical trial evaluating the cardiovascular effects of an herbal ephedra-caffeine weight loss product in healthy overweight adults. *Int J Obes Relat Metab Disord* 2002 October;26(10):1363-6.
- (130) Kalman D, Incledon T, Gaunaud I, Schwartz H, Krieger D. An acute clinical trial evaluating the cardiovascular effects of an herbal ephedra-caffeine weight loss product in healthy overweight adults. *Int J Obes Relat Metab Disord* 2002 October;26(10):1363-6.
- (131) Karhunen L, Franssila-Kallunki A, Rissanen P et al. Effect of orlistat treatment on body composition and resting energy expenditure during a two-year weight-reduction programme in obese Finns. *Int J Obes Relat Metab Disord* 2000 December;24(12):1567-72.
- (132) Kelley DE, Bray GA, Pi-Sunyer FX et al. Clinical efficacy of orlistat therapy in overweight and obese patients with insulin-treated type 2 diabetes: A 1-year randomized controlled trial. *Diabetes Care* 2002 June;25(6):1033-41.
- (133) Hoeger WW, Harris C, Long EM, Hopkins DR. Four-week supplementation with a natural dietary compound produces favorable changes in body composition. *Adv Ther* 1998 September;15(5):305-14.
- (134) Kelley DE, Bray GA, Pi-Sunyer FX et al. Clinical efficacy of orlistat therapy in overweight and obese patients with insulin-treated type 2 diabetes: A 1-year randomized controlled trial. *Diabetes Care* 2002 June;25(6):1033-41.
- (135) Kim KR, Nam SY, Song YD, Lim SK, Lee HC, Huh KB. Low-dose growth hormone treatment with diet restriction accelerates body fat loss, exerts anabolic effect and improves growth hormone secretory dysfunction in obese adults. *Horm Res* 1999;51(2):78-84.
- (136) Kovacs EM, Westerterp-Plantenga MS, de Vries M, Brouns F, Saris WH. Effects of 2-week ingestion of (-)-hydroxycitrate and (-)-hydroxycitrate combined with medium-chain triglycerides on satiety and food intake. *Physiol Behav* 2001 November;74(4-5):543-9.
- (137) Krempf M, Louvet JP, Allanic H, Miloradovich T, Joubert JM, Attali JR. Weight reduction and long-term maintenance after 18 months treatment with orlistat for obesity. *Int J Obes Relat Metab Disord* 2003 May;27(5):591-7.
- (138) Kriketos AD, Thompson HR, Greene H, Hill JO. (-)-Hydroxycitric acid does not affect energy expenditure and substrate oxidation in adult males in a post-absorptive state. *Int J Obes Relat Metab Disord* 1999 August;23(8):867-73.
- (139) Kucio C, Jonderko K, Piskorska D. Does yohimbine act as a slimming drug? *Isr J Med Sci* 1991 October;27(10):550-6.
- (140) Kutnowski M, Daubresse JC, Friedman H et al. Fluoxetine therapy in obese diabetic and glucose intolerant patients. *Int J Obes Relat Metab Disord* 1992 December;16 Suppl 4:S63-S66.

- (141) Laaksonen DE, Nuutinen J, Lahtinen T, Rissanen A, Niskanen LK. Changes in abdominal subcutaneous fat water content with rapid weight loss and long-term weight maintenance in abdominally obese men and women. *Int J Obes Relat Metab Disord* 2003 June;27(6):677-83.
- (142) Laederach-Hofmann K, Graf C, Horber F et al. Imipramine and diet counseling with psychological support in the treatment of obese binge eaters: a randomized, placebo-controlled double-blind study. *Int J Eat Disord* 1999 November;26(3):231-44.
- (143) Lafreniere F, Lambert J, Rasio E, Serri O. Effects of dexfenfluramine treatment on body weight and postprandial thermogenesis in obese subjects. A double-blind placebo-controlled study. *Int J Obes Relat Metab Disord* 1993 January;17(1):25-30.
- (144) Lawton CL, Wales JK, Hill AJ, Blundell JE. Serotonergic manipulation, meal-induced satiety and eating pattern: effect of fluoxetine in obese female subjects. *Obes Res* 1995 July;3(4):345-56.
- (145) Lee A, Morley JE. Metformin decreases food consumption and induces weight loss in subjects with obesity with type II non-insulin-dependent diabetes. *Obes Res* 1998 January;6(1):47-53.
- (146) Leibel RL, Drownowski A, Hirsch J. Effect of glycerol on weight loss and hunger in obese patients. *Metabolism* 1980 December;29(12):1234-6.
- (147) Lindgarde F. The effect of orlistat on body weight and coronary heart disease risk profile in obese patients: the Swedish Multimorbidity Study. *J Intern Med* 2000 September;248(3):245-54.
- (148) Lindor KD, Hughes RW, Jr., Ilstrup DM, Jensen MD. Intra-gastric balloons in comparison with standard therapy for obesity--a randomized, double-blind trial. *Mayo Clin Proc* 1987 November;62(11):992-6.
- (149) Louvet JP. [Isomeride and treatment of overweight]. *Ann Med Interne (Paris)* 1989;140 Suppl 1:17-21.
- (150) Lovejoy JC, Bray GA, Greeson CS et al. Oral anabolic steroid treatment, but not parenteral androgen treatment, decreases abdominal fat in obese, older men. *Int J Obes Relat Metab Disord* 1995 September;19(9):614-24.
- (151) MacLachlan M, Connacher AA, Jung RT. Psychological aspects of dietary weight loss and medication with the atypical beta agonist BRL 26830A in obese subjects. *Int J Obes* 1991 January;15(1):27-35.
- (152) Maheux P, Ducros F, Bourque J, Garon J, Chiasson JL. Fluoxetine improves insulin sensitivity in obese patients with non-insulin-dependent diabetes mellitus independently of weight loss. *Int J Obes Relat Metab Disord* 1997 February;21(2):97-102.

- (153) Maki KC, Davidson MH, Tsushima R et al. Consumption of diacylglycerol oil as part of a reduced-energy diet enhances loss of body weight and fat in comparison with consumption of a triacylglycerol control oil. *Am J Clin Nutr* 2002 December;76(6):1230-6.
- (154) Marcus MD, Wing RR, Ewing L, Kern E, McDermott M, Gooding W. A double-blind, placebo-controlled trial of fluoxetine plus behavior modification in the treatment of obese binge-eaters and non-binge-eaters. *Am J Psychiatry* 1990 July;147(7):876-81.
- (155) Marks JW, Bonorris GG, Schoenfield LJ. Roles of deoxycholate and arachidonate in pathogenesis of cholesterol gallstones in obese patients during rapid loss of weight. *Dig Dis Sci* 1991 July;36(7):957-60.
- (156) Mathus-Vliegen EM, Tytgat GN. Gastro-oesophageal reflux in obese subjects: influence of overweight, weight loss and chronic gastric balloon distension. *Scand J Gastroenterol* 2002 November;37(11):1246-52.
- (157) Mathus-Vliegen EM. Prolonged surveillance of dexfenfluramine in severe obesity. *Neth J Med* 1993 December;43(5-6):246-53.
- (158) Mathus-Vliegen EM, Tytgat GN, Veldhuyzen-Offermans EA. Intra-gastric balloon in the treatment of super-morbid obesity. Double-blind, sham-controlled, crossover evaluation of 500-milliliter balloon. *Gastroenterology* 1990 August;99(2):362-9.
- (159) Phenylpropanolamine for weight reduction. *Med Lett Drugs Ther* 1984 June 8;26(663):55-6.
- (160) Mattes RD, Bormann LA. Reduced dietary underrecording with concurrent tracking of hunger. *J Am Diet Assoc* 2001 May;101(5):578-80.
- (161) Mattes RD, Bormann L. Effects of (-)-hydroxycitric acid on appetitive variables. *Physiol Behav* 2000 October 1;71(1-2):87-94.
- (162) Maughan KL. Does sibutramine keep the weight off? *J Fam Pract* 1999 June;48(6):420.
- (163) McElroy SL, Arnold LM, Shapira NA et al. Topiramate in the treatment of binge eating disorder associated with obesity: a randomized, placebo-controlled trial. *Am J Psychiatry* 2003 February;160(2):255-61.
- (164) McMahon FG, Weinstein SP, Rowe E, Ernst KR, Johnson F, Fujioka K. Sibutramine is safe and effective for weight loss in obese patients whose hypertension is well controlled with angiotensin-converting enzyme inhibitors. *J Hum Hypertens* 2002 January;16(1):5-11.
- (165) McMahon FG, Fujioka K, Singh BN et al. Efficacy and safety of sibutramine in obese white and African American patients with hypertension: a 1-year, double-blind, placebo-controlled, multicenter trial. *Arch Intern Med* 2000 July 24;160(14):2185-91.

- (166) McNulty SJ, Ur E, Williams G. A randomized trial of sibutramine in the management of obese type 2 diabetic patients treated with metformin. *Diabetes Care* 2003 January;26(1):125-31.
- (167) Mendez-Sanchez N, Gonzalez V, Aguayo P et al. Fish oil (n-3) polyunsaturated fatty acids beneficially affect biliary cholesterol nucleation time in obese women losing weight. *J Nutr* 2001 September;131(9):2300-3.
- (168) Meshkinpour H, Hsu D, Farivar S. Effect of gastric bubble as a weight reduction device: a controlled, crossover study. *Gastroenterology* 1988 September;95(3):589-92.
- (169) Micic D, Ivkovic-Lazar T, Dragojevic R, Jorga J, Stokic E, Hajdukovic Z. Orlistat, a gastrointestinal lipase inhibitor, in therapy of obesity with concomitant hyperlipidemia. *Med Pregl* 1999 September;52(9-10):323-33.
- (170) Miles JM, Leiter L, Hollander P et al. Effect of orlistat in overweight and obese patients with type 2 diabetes treated with metformin. *Diabetes Care* 2002 July;25(7):1123-8.
- (171) Mitchell JE, Morley JE, Levine AS, Hatsukami D, Gannon M, Pfohl D. High-dose naltrexone therapy and dietary counseling for obesity. *Biol Psychiatry* 1987 January;22(1):35-42.
- (172) Molnar D, Torok K, Erhardt E, Jeges S. Safety and efficacy of treatment with an ephedrine/caffeine mixture. The first double-blind placebo-controlled pilot study in adolescents. *Int J Obes Relat Metab Disord* 2000 December;24(12):1573-8.
- (173) Moreira Andres MN, Canizo Gomez FJ, Aracama Montaner JJ. [The relation between serum thyroid hormone concentration and weight loss in obese patients treated with a low-calorie diet]. *Rev Clin Esp* 1982 December 31;167(6):375-9.
- (174) Morgan JP, Funderburk FR. Invited commentary: phenylpropanolamine and the medical literature: a thorough reading is required. *Int J Obes* 1990 July;14(7):569-74.
- (175) Moscucci M, Byrne L, Weintraub M, Cox C. Blinding, unblinding, and the placebo effect: an analysis of patients' guesses of treatment assignment in a double-blind clinical trial. *Clin Pharmacol Ther* 1987 March;41(3):259-65.
- (176) Muls E, Kolanowski J, Scheen A, Van Gaal L. The effects of orlistat on weight and on serum lipids in obese patients with hypercholesterolemia: a randomized, double-blind, placebo-controlled, multicentre study. *Int J Obes Relat Metab Disord* 2001 November;25(11):1713-21.
- (177) Muth H, Issmeier G. [Weight loss by treatment with Fugoa depot. Results of a double blind study]. *Ther Ggw* 1980 October;119(10):1173-83.
- (178) Naylor GJ, Grant L, Smith C. A double blind placebo controlled trial of ascorbic acid in obesity. *Nutr Health* 1985;4(1):25-8.

- (179) Nazar K, Kaciuba-Uscilko H, Szczepanik J et al. Phosphate supplementation prevents a decrease of triiodothyronine and increases resting metabolic rate during low energy diet. *J Physiol Pharmacol* 1996 June;47(2):373-83.
- (180) O'Connor HT, Richman RM, Steinbeck KS, Caterson ID. Dexfenfluramine treatment of obesity: a double blind trial with post trial follow up. *Int J Obes Relat Metab Disord* 1995 March;19(3):181-9.
- (181) O'Kane M, Wiles PG, Wales JK. Fluoxetine in the treatment of obese type 2 diabetic patients. *Diabet Med* 1994 January;11(1):105-10.
- (182) Oppert JM, Lahlou N, Laferrere B, Roger M, Basdevant A, Guy-Grand B. Plasma leptin and acute serotonergic stimulation of the corticotropic axis in women who are normal weight or obese. *Obes Res* 1997 September;5(5):410-6.
- (183) Pace DG, Blotner S, Guerciolini R. Short-term orlistat treatment does not affect mineral balance and bone turnover in obese men. *J Nutr* 2001 June;131(6):1694-9.
- (184) Paranjpe P, Patki P, Patwardhan B. Ayurvedic treatment of obesity: a randomised double-blind, placebo-controlled clinical trial. *J Ethnopharmacol* 1990 April;29(1):1-11.
- (185) Parsons WB, Jr. Controlled-release diethylpropion hydrochloride used in a program for weight reduction. *Clin Ther* 1981;3(5):329-35.
- (186) Pasquali R, Casimirri F, Melchionda N et al. Effects of chronic administration of ephedrine during very-low-calorie diets on energy expenditure, protein metabolism and hormone levels in obese subjects. *Clin Sci (Lond)* 1992 January;82(1):85-92.
- (187) Pasquali R, Gambineri A, Biscotti D et al. Effect of long-term treatment with metformin added to hypocaloric diet on body composition, fat distribution, and androgen and insulin levels in abdominally obese women with and without the polycystic ovary syndrome. *J Clin Endocrinol Metab* 2000 August;85(8):2767-74.
- (188) Pasquali R, Casimirri F, Melchionda N et al. Effects of chronic administration of ephedrine during very-low-calorie diets on energy expenditure, protein metabolism and hormone levels in obese subjects. *Clin Sci (Lond)* 1992 January;82(1):85-92.
- (189) Pasquali R, Cesari MP, Melchionda N, Stefanini C, Raitano A, Labo G. Does ephedrine promote weight loss in low-energy-adapted obese women? *Int J Obes* 1987;11(2):163-8.
- (190) Pasquali R, Baraldi G, Cesari MP et al. A controlled trial using ephedrine in the treatment of obesity. *Int J Obes* 1985;9(2):93-8.
- (191) Pedersen SB, Borglum JD, Kristensen K et al. Regulation of uncoupling protein (UCP) 2 and 3 in adipose and muscle tissue by fasting and growth hormone

- treatment in obese humans. *Int J Obes Relat Metab Disord* 2000 August;24(8):968-75.
- (192) Peterson CM, Jovanovic-Peterson L. Randomized crossover study of 40% vs. 55% carbohydrate weight loss strategies in women with previous gestational diabetes mellitus and non-diabetic women of 130-200% ideal body weight. *J Am Coll Nutr* 1995 August;14(4):369-75.
- (193) Phenylpropanolamine for weight reduction. *Med Lett Drugs Ther* 1984 June 8;26(663):55-6.
- (194) Pedersen SB, Borglum JD, Kristensen K et al. Regulation of uncoupling protein (UCP) 2 and 3 in adipose and muscle tissue by fasting and growth hormone treatment in obese humans. *Int J Obes Relat Metab Disord* 2000 August;24(8):968-75.
- (195) Peterson CM, Jovanovic-Peterson L. Randomized crossover study of 40% vs. 55% carbohydrate weight loss strategies in women with previous gestational diabetes mellitus and non-diabetic women of 130-200% ideal body weight. *J Am Coll Nutr* 1995 August;14(4):369-75.
- (196) Pijl H, Koppeschaar HP, Cohen AF et al. Evidence for brain serotonin-mediated control of carbohydrate consumption in normal weight and obese humans. *Int J Obes Relat Metab Disord* 1993 September;17(9):513-20.
- (197) Pittler MH, Ernst E. Guar gum for body weight reduction: meta-analysis of randomized trials. *Am J Med* 2001 June 15;110(9):724-30.
- (198) Pittler MH, Abbot NC, Harkness EF, Ernst E. Randomized, double-blind trial of chitosan for body weight reduction. *Eur J Clin Nutr* 1999 May;53(5):379-81.
- (199) Pocock SJ, Abdalla M. The hope and the hazards of using compliance data in randomized controlled trials. *Stat Med* 1998 February 15;17(3):303-17.
- (200) Pontiroli AE, Pacchioni M, Piatti PM, Cassisa C, Camisasca R, Pozza G. Benfluorex in obese noninsulin dependent diabetes mellitus patients poorly controlled by insulin: a double blind study versus placebo. *J Clin Endocrinol Metab* 1996 October;81(10):3727-32.
- (201) Rasmussen MH, Andersen T, Breum L, Gotzsche PC, Hilsted J. Cimetidine suspension as adjuvant to energy restricted diet in treating obesity. *BMJ* 1993 April 24;306(6885):1093-6.
- (202) Reaven G, Segal K, Hauptman J, Boldrin M, Lucas C. Effect of orlistat-assisted weight loss in decreasing coronary heart disease risk in patients with syndrome X. *Am J Cardiol* 2001 April 1;87(7):827-31.
- (203) Recasens MA, Barenys M, Sola R, Blanch S, Masana L, Salas-Salvado J. Effect of dexfenfluramine on energy expenditure in obese patients on a very-low-calorie-diet. *Int J Obes Relat Metab Disord* 1995 March;19(3):162-8.

- (204) Redmon JB, Raatz SK, Kwong CA, Swanson JE, Thomas W, Bantle JP. Pharmacologic induction of weight loss to treat type 2 diabetes. *Diabetes Care* 1999 June;22(6):896-903.
- (205) Richelsen B, Pedersen SB, Kristensen K et al. Regulation of lipoprotein lipase and hormone-sensitive lipase activity and gene expression in adipose and muscle tissue by growth hormone treatment during weight loss in obese patients. *Metabolism* 2000 July;49(7):906-11.
- (206) Rigaud D, Trostler N, Rozen R, Vallot T, Apfelbaum M. Gastric distension, hunger and energy intake after balloon implantation in severe obesity. *Int J Obes Relat Metab Disord* 1995 July;19(7):489-95.
- (207) Rigaud D, Ryttig KR, Angel LA, Apfelbaum M. Overweight treated with energy restriction and a dietary fibre supplement: a 6-month randomized, double-blind, placebo-controlled trial. *Int J Obes* 1990 September;14(9):763-9.
- (208) Riserus U, Basu S, Jovinge S, Fredrikson GN, Arnlov J, Vessby B. Supplementation with conjugated linoleic acid causes isomer-dependent oxidative stress and elevated C-reactive protein: a potential link to fatty acid-induced insulin resistance. *Circulation* 2002 October 8;106(15):1925-9.
- (209) Rolls BJ, Shide DJ, Thorwart ML, Ulbrecht JS. Sibutramine reduces food intake in non-dieting women with obesity. *Obes Res* 1998 January;6(1):1-11.
- (210) Roongpisuthipong C, Panpakdee O, Boontawee A, Kulapongse S, Tanphaichitr V. Possible thermogenesis with dexfenfluramine. *J Med Assoc Thai* 1999 February;82(2):150-9.
- (211) Rossner S, Sjostrom L, Noack R, Meinders AE, Nosedá G. Weight loss, weight maintenance, and improved cardiovascular risk factors after 2 years treatment with orlistat for obesity. European Orlistat Obesity Study Group. *Obes Res* 2000 January;8(1):49-61.
- (212) Rossner S, Andersson IL, Ryttig K. Effects of a dietary fibre supplement to a weight reduction programme on blood pressure. A randomized, double-blind, placebo-controlled study. *Acta Med Scand* 1988;223(4):353-7.
- (213) Rossner S, von Zweigbergk D, Ohlin A, Ryttig K. Weight reduction with dietary fibre supplements. Results of two double-blind randomized studies. *Acta Med Scand* 1987;222(1):83-8.
- (214) Ryttig KR, Tellnes G, Haegh L, Boe E, Fagerthun H. A dietary fibre supplement and weight maintenance after weight reduction: a randomized, double-blind, placebo-controlled long-term trial. *Int J Obes* 1989;13(2):165-71.
- (215) Phenylpropanolamine for weight reduction. *Med Lett Drugs Ther* 1984 June 8;26(663):55-6.
- (216) Salmela PI, Sotaniemi EA, Viikari J, Solakivi-Jaakkola T, Jarvensivu P. Fenfluramine therapy in non-insulin-dependent diabetic patients: effects on body

- weight, glucose homeostasis, serum lipoproteins, and antipyrine metabolism. *Diabetes Care* 1981 September;4(5):535-40.
- (217) Samsa GP, Kolotkin RL, Williams GR, Nguyen MH, Mendel CM. Effect of moderate weight loss on health-related quality of life: an analysis of combined data from 4 randomized trials of sibutramine vs placebo. *Am J Manag Care* 2001 September;7(9):875-83.
- (218) Sax L. Yohimbine does not affect fat distribution in men. *Int J Obes* 1991 September;15(9):561-5.
- (219) Sayler ME, Goldstein DJ, Roback PJ, Atkinson RL. Evaluating success of weight loss programs, with an application to fluoxetine weight reduction clinical trial data. *Int J Obes Relat Metab Disord* 1994 November;18(11):742-51.
- (220) Scheen AJ. [Info-congress. Prevention of type 2 diabetes in obese patients: first results with orlistat in the XENDOS study]. *Rev Med Liege* 2002 September;57(9):617-21.
- (221) Scheen AJ. [Clinical study of the month. After the storm over central anorectic agents, the "STORM" study of sibutramine]. *Rev Med Liege* 2001 January;56(1):56-8.
- (222) Schteingart DE. Effectiveness of phenylpropanolamine in the management of moderate obesity. *Int J Obes Relat Metab Disord* 1992 July;16(7):487-93.
- (223) Shapses SA, Von Thun NL, Heymsfield SB et al. Bone turnover and density in obese premenopausal women during moderate weight loss and calcium supplementation. *J Bone Miner Res* 2001 July;16(7):1329-36.
- (224) Silverstone T. Clinical use of appetite suppressants. *Drug Alcohol Depend* 1986 June;17(2-3):151-67.
- (225) Sjostrom L, Rissanen A, Andersen T et al. [Randomized placebo-controlled trial of orlistat for weight loss and prevention of weight regain in obese patients]. *Ter Arkh* 2000;72(8):50-4.
- (226) Sjostrom L, Rissanen A, Andersen T et al. Randomised placebo-controlled trial of orlistat for weight loss and prevention of weight regain in obese patients. European Multicentre Orlistat Study Group. *Lancet* 1998 July 18;352(9123):167-72.
- (227) Slama G, Selmi A, Hautecouverture M, Tchobroutsky G. Double blind clinical trial of mazindol on weight loss blood glucose, plasma insulin and serum lipids in overweight diabetic patients. *Diabete Metab* 1978 September;4(3):193-9.
- (228) Smith IG, Goulder MA. Randomized placebo-controlled trial of long-term treatment with sibutramine in mild to moderate obesity. *J Fam Pract* 2001 June;50(6):505-12.

- (229) Solum TT, Ryttig KR, Solum E, Larsen S. The influence of a high-fibre diet on body weight, serum lipids and blood pressure in slightly overweight persons. A randomized, double-blind, placebo-controlled investigation with diet and fibre tablets (DumoVital). *Int J Obes* 1987;11 Suppl 1:67-71.
- (230) Spring B, Wurtman J, Wurtman R et al. Efficacies of dexfenfluramine and fluoxetine in preventing weight gain after smoking cessation. *Am J Clin Nutr* 1995 December;62(6):1181-7.
- (231) Sramek JJ, Leibowitz MT, Weinstein SP et al. Efficacy and safety of sibutramine for weight loss in obese patients with hypertension well controlled by beta-adrenergic blocking agents: a placebo-controlled, double-blind, randomised trial. *J Hum Hypertens* 2002 January;16(1):13-9.
- (232) Stahl KA, Imperiale TF. An overview of the efficacy and safety of fenfluramine and mazindol in the treatment of obesity. *Arch Fam Med* 1993 October;2(10):1033-8.
- (233) Starling RD, Liu X, Sullivan DH. Influence of sibutramine on energy expenditure in African American women. *Obes Res* 2001 April;9(4):251-6.
- (234) Stevenson JH, Trojian T, Jackson EA. Does long-term use of sibutramine (Meridia) result in continued weight loss in short-term responders? *J Fam Pract* 2001 December;50(12):1084.
- (235) Stewart GO, Stein GR, Davis TM, Findlater P. Dexfenfluramine in type II diabetes: effect on weight and diabetes control. *Med J Aust* 1993 February 1;158(3):167-9.
- (236) Stinson JC, Murphy CM, Andrews JF, Tomkin GH. An assessment of the thermogenic effects of fluoxetine in obese subjects. *Int J Obes Relat Metab Disord* 1992 May;16(5):391-5.
- (237) Sullivan AC, Comai K. Pharmacological treatment of obesity. *Int J Obes* 1978;2(2):167-89.
- (238) Szkudlarek J, Elsborg L. Treatment of severe obesity with a highly selective serotonin re-uptake inhibitor as a supplement to a low calorie diet. *Int J Obes Relat Metab Disord* 1993 December;17(12):681-3.
- (239) Thompson JL, Butterfield GE, Gylfadottir UK et al. Effects of human growth hormone, insulin-like growth factor I, and diet and exercise on body composition of obese postmenopausal women. *J Clin Endocrinol Metab* 1998 May;83(5):1477-84.
- (240) Toornvliet AC, Pijl H, Frolich M, Westendorp RG, Meinders AE. Insulin and leptin concentrations in obese humans during long-term weight loss. *Neth J Med* 1997 September;51(3):96-102.

- (241) Toubro S, Astrup A, Breum L, Quaade F. The acute and chronic effects of ephedrine/caffeine mixtures on energy expenditure and glucose metabolism in humans. *Int J Obes Relat Metab Disord* 1993 December;17 Suppl 3:S73-S77.
- (242) Toubro S, Astrup AV, Breum L, Quaade F. Safety and efficacy of long-term treatment with ephedrine, caffeine and an ephedrine/caffeine mixture. *Int J Obes Relat Metab Disord* 1993 February;17 Suppl 1:S69-S72.
- (243) Toubro S, Astrup A, Breum L, Quaade F. The acute and chronic effects of ephedrine/caffeine mixtures on energy expenditure and glucose metabolism in humans. *Int J Obes Relat Metab Disord* 1993 December;17 Suppl 3:S73-S77.
- (244) Toubro S, Astrup AV, Breum L, Quaade F. Safety and efficacy of long-term treatment with ephedrine, caffeine and an ephedrine/caffeine mixture. *Int J Obes Relat Metab Disord* 1993 February;17 Suppl 1:S69-S72.
- (245) Trent LK, Thieding-Cancel D. Effects of chromium picolinate on body composition. *J Sports Med Phys Fitness* 1995 December;35(4):273-80.
- (246) Van Gaal LF, Wauters MA, Peiffer FW, De Leeuw IH. Sibutramine and fat distribution: is there a role for pharmacotherapy in abdominal/visceral fat reduction? *Int J Obes Relat Metab Disord* 1998 August;22 Suppl 1:S38-S40.
- (247) Van Gaal LF, Broom JI, Enzi G, Toplak H. Efficacy and tolerability of orlistat in the treatment of obesity: a 6-month dose-ranging study. Orlistat Dose-Ranging Study Group. *Eur J Clin Pharmacol* 1998 April;54(2):125-32.
- (248) Van Gaal LF, Vansant GA, Steijaert MC, De Leeuw IH. Effects of dexfenfluramine on resting metabolic rate and thermogenesis in premenopausal obese women during therapeutic weight reduction. *Metabolism* 1995 February;44(2 Suppl 2):42-5.
- (249) Vestergaard P, Borglum J, Heickendorff L, Mosekilde L, Richelsen B. Artifact in bone mineral measurements during a very low calorie diet: short-term effects of growth hormone. *J Clin Densitom* 2000;3(1):63-71.
- (250) Villani RG, Gannon J, Self M, Rich PA. L-Carnitine supplementation combined with aerobic training does not promote weight loss in moderately obese women. *Int J Sport Nutr Exerc Metab* 2000 June;10(2):199-207.
- (251) Visser M, Seidell JC, Koppeschaar HP, Smits P. The effect of fluoxetine on body weight, body composition and visceral fat accumulation. *Int J Obes Relat Metab Disord* 1993 May;17(5):247-53.
- (252) Wadden TA, Berkowitz RI, Womble LG, Sarwer DB, Arnold ME, Steinberg CM. Effects of sibutramine plus orlistat in obese women following 1 year of treatment by sibutramine alone: a placebo-controlled trial. *Obes Res* 2000 September;8(6):431-7.
- (253) Wales JK. The effect of fenfluramine on obese, maturity-onset diabetic patients. *Acta Endocrinol (Copenh)* 1979 April;90(4):616-23.

- (254) Walsh DE, Yaghoubian V, Behforooz A. Effect of glucomannan on obese patients: a clinical study. *Int J Obes* 1984;8(4):289-93.
- (255) Weighill VE, Buglass D. Weight change and psychological state in obese women. *Appetite* 1984 June;5(2):95-102.
- (256) Phenylpropanolamine for weight reduction. *Med Lett Drugs Ther* 1984 June 8;26(663):55-6.
- (257) Weintraub M, Ginsberg G, Stein EC et al. Phenylpropanolamine OROS (Acutrim) vs. placebo in combination with caloric restriction and physician-managed behavior modification. *Clin Pharmacol Ther* 1986 May;39(5):501-9.
- (258) Weintraub M, Sundaresan PR, Cox C. Long-term weight control study. VI. Individual participant response patterns. *Clin Pharmacol Ther* 1992 May;51(5):619-33.
- (259) Weintraub M, Sundaresan PR, Schuster B, Averbuch M, Stein EC, Byrne L. Long-term weight control study. V (weeks 190 to 210). Follow-up of participants after cessation of medication. *Clin Pharmacol Ther* 1992 May;51(5):615-8.
- (260) Weintraub M, Sundaresan PR, Madan M et al. Long-term weight control study. I (weeks 0 to 34). The enhancement of behavior modification, caloric restriction, and exercise by fenfluramine plus phentermine versus placebo. *Clin Pharmacol Ther* 1992 May;51(5):586-94.
- (261) Weintraub M. Long-term weight control: the National Heart, Lung, and Blood Institute funded multimodal intervention study. *Clin Pharmacol Ther* 1992 May;51(5):581-5.
- (262) Weintraub M, Rubio A, Golik A, Byrne L, Scheinbaum ML. Sibutramine in weight control: a dose-ranging, efficacy study. *Clin Pharmacol Ther* 1991 September;50(3):330-7.
- (263) Weintraub M, Hasday JD, Mushlin AI, Lockwood DH. A double-blind clinical trial in weight control. Use of fenfluramine and phentermine alone and in combination. *Arch Intern Med* 1984 June;144(6):1143-8.
- (264) Weintraub M, Sriwatanakul K, Sundaresan PR, Weis OF, Dorn M. Extended-release fenfluramine: patient acceptance and efficacy of evening dosing. *Clin Pharmacol Ther* 1983 May;33(5):621-7.
- (265) Weis OF, Luus HG, Muller FO. Minimization--a method of obtaining comparable groups in clinical trials. *S Afr Med J* 1984 August 4;66(5):180-2.
- (266) Willey KA, Molyneaux LM, Yue DK. Obese patients with type 2 diabetes poorly controlled by insulin and metformin: effects of adjunctive dexfenfluramine therapy on glycaemic control. *Diabet Med* 1994 August;11(7):701-4.

- (267) Willey KA, Molyneaux LM, Overland JE, Yue DK. The effects of dexfenfluramine on blood glucose control in patients with type 2 diabetes. *Diabet Med* 1992 May;9(4):341-3.
- (268) Williams AR. A double-blind, placebo-controlled evaluation of the effects of RW94 on the body weight of both overweight and obese healthy volunteers. *Curr Med Res Opin* 1998;14(4):243-9.
- (269) Wilson CW, Foran K, Innes JA et al. Fenfluramine, vitamin C and weight loss. *Int J Obes* 1978;2(4):463-5.
- (270) Wirth A, Krause J. Long-term weight loss with sibutramine: a randomized controlled trial. *JAMA* 2001 September 19;286(11):1331-9.
- (271) Woodhouse SP, Nye ER, Anderson K, Rawlings J. A double blind controlled trial of a new anorectic agent AN448. *N Z Med J* 1975 June 25;81(542):546-9.
- (272) Yoshida T, Sakane N, Umekawa T, Yoshioka K, Kondo M, Wakabayashi Y. Usefulness of mazindol in combined diet therapy consisting of a low-calorie diet and Optifast in severely obese women. *Int J Clin Pharmacol Res* 1994;14(4):125-32.
- (273) Zahorska-Markiewicz B, Krotkiewski M, Olszanecka-Glinianowicz M, Zurakowski A. [Effect of chitosan in complex management of obesity]. *Pol Merkuriusz Lek* 2002 August;13(74):129-32.
- (274) Zannad F, Gille B, Grentzinger A et al. Effects of sibutramine on ventricular dimensions and heart valves in obese patients during weight reduction. *Am Heart J* 2002 September;144(3):508-15.
- (275) Zhao Y, Wang X, Yan Z. [A randomized, double-blind, placebo-controlled, multicenter study on sibutramine in over-weighted and obese subjects]. *Zhonghua Yu Fang Yi Xue Za Zhi* 2001 September;35(5):329-32.
- (276) Zhi J, Melia AT, Guerciolini R et al. Retrospective population-based analysis of the dose-response (fecal fat excretion) relationship of orlistat in normal and obese volunteers. *Clin Pharmacol Ther* 1994 July;56(1):82-5.
- (277) Ephedra dangers documented. *Health News* 2000 December;6(12):6.
- (278) Abadie JM, Wright B, Correa G, Browne ES, Porter JR, Svec F. Effect of dehydroepiandrosterone on neurotransmitter levels and appetite regulation of the obese Zucker rat. The Obesity Research Program. *Diabetes* 1993 May;42(5):662-9.
- (279) Abdallah AH. On the role of norepinephrine in the anorectic effect of D-amphetamine in mice. *Arch Int Pharmacodyn Ther* 1971 July;192(1):72-7.
- (280) Acar N, Patterson PH, Barbato GF. 1. Appetite suppressant activity of supplemental dietary amino acids and subsequent compensatory growth of broilers. *Poult Sci* 2001 August;80(8):1215-22.

- (281) Ahlskog JE. Food intake and amphetamine anorexia after selective forebrain norepinephrine loss. *Brain Res* 1974 December 27;82(2):211-40.
- (282) Angel I, Taranger MA, Claustre Y, Scatton B, Langer SZ. Anorectic activities of serotonin uptake inhibitors: correlation with their potencies at inhibiting serotonin uptake in vivo and 3H-mazindol binding in vitro. *Life Sci* 1988;43(8):651-8.
- (283) Aronne LJ. Modern medical management of obesity: the role of pharmaceutical intervention. *J Am Diet Assoc* 1998 October;98(10 Suppl 2):S23-S26.
- (284) Ashley DV, Anderson GH. Food intake regulation in the weanling rat: effects of the most limiting essential amino acids of gluten, casein, and zein on the self-selection of protein and energy. *J Nutr* 1975 November;105(11):1405-11.
- (285) Astrup A, Lundsgaard C. What do pharmacological approaches to obesity management offer? Linking pharmacological mechanisms of obesity management agents to clinical practice. *Exp Clin Endocrinol Diabetes* 1998;106 Suppl 2:29-34.
- (286) Atkinson RL, Blank RC, Loper JF, Schumacher D, Lutes RA. Combined drug treatment of obesity. *Obes Res* 1995 November;3 Suppl 4:497S-500S.
- (287) Bell SJ, Goodrick GK. A functional food product for the management of weight. *Crit Rev Food Sci Nutr* 2002 March;42(2):163-78.
- (288) Bender DA. Biochemistry of tryptophan in health and disease. *Mol Aspects Med* 1983;6(2):101-97.
- (289) Berger BD, Wise CD, Stein L. Norepinephrine: reversal of anorexia in rats with lateral hypothalamic damage. *Science* 1971 April 16;172(980):281-4.
- (290) Berke EM, Morden NE. Medical management of obesity. *Am Fam Physician* 2000 July 15;62(2):419-26.
- (291) Berry MJ, Poyser RH, Robertson MI. Inhibition by appetite suppressants of the pressor response to (+)-amphetamine in anaesthetized cats. *J Pharm Pharmacol* 1971 February;23(2):140-2.
- (292) Blundell JE, Hill AJ. Nutrition, serotonin and appetite: case study in the evolution of a scientific idea. *Appetite* 1987 June;8(3):183-94.
- (293) Blundell JE. Serotonin manipulations and the structure of feeding behaviour. *Appetite* 1986;7 Suppl:39-56.
- (294) Blundell JE. Serotonin and appetite. *Neuropharmacology* 1984 December;23(12B):1537-51.
- (295) Blundell JE, Leshem MB. The effect of 5-hydroxytryptophan on food intake and on the anorexic action of amphetamine and fenfluramine. *J Pharm Pharmacol* 1975 January;27(1):31-7.

- (296) Booth DA. Neurochemistry of appetite mechanisms. *Proc Nutr Soc* 1978 September;37(2):181-91.
- (297) Bowering JL, Morrison MA. Tryptophan utilization in a threonine-induced amino acid imbalance in weanling rats: plasma amino acid and liver pyridine nucleotide concentrations. *J Nutr* 1967 April;91(4):429-40.
- (298) Bray GA. Drug treatment of obesity. *Baillieres Best Pract Res Clin Endocrinol Metab* 1999 April;13(1):131-48.
- (299) Bray GA. Drug treatment of obesity. *Rev Endocr Metab Disord* 2001 October;2(4):403-18.
- (300) Bray GA. Drug treatment of obesity. *Baillieres Best Pract Res Clin Endocrinol Metab* 1999 April;13(1):131-48.
- (301) Bray GA. Drug treatment of obesity. *Baillieres Best Pract Res Clin Endocrinol Metab* 1999 April;13(1):131-48.
- (302) Brown BS, Payne T, Kim C, Moore G, Krebs P, Martin W. Chronic response of rat brain norepinephrine and serotonin levels to endurance training. *J Appl Physiol* 1979 January;46(1):19-23.
- (303) Brzezinski A, Shalitin N, Ever-Hadani P, Schenker JG. Plasma concentrations of tryptophan and dieting. *BMJ* 1990 July 21;301(6744):183.
- (304) Campbell ML, Mathys ML. Pharmacologic options for the treatment of obesity. *Am J Health Syst Pharm* 2001 July 15;58(14):1301-8.
- (305) Ephedra dangers documented. *Health News* 2000 December;6(12):6.
- (306) Costa E, Groppetti A, Naimzada MK. Effects of amphetamine on the turnover rate of brain catecholamines and motor activity. *Br J Pharmacol* 1972 April;44(4):742-51.
- (307) Currie PJ, Saxena N, Tu AY. 5-HT(2A/2C) receptor antagonists in the paraventricular nucleus attenuate the action of DOI on NPY-stimulated eating. *Neuroreport* 1999 September 29;10(14):3033-6.
- (308) Curzon G. Effects of tryptophan and of 5-hydroxytryptamine receptor subtype agonists on feeding. *Adv Exp Med Biol* 1991;294:377-88.
- (309) Curzon G. Serotonin and appetite. *Ann N Y Acad Sci* 1990;600:521-30.
- (310) Davis JR, Keesey RE. Norepinephrine-induced eating: its hypothalamic locus and an alternate interpretation of action. *J Comp Physiol Psychol* 1971 December;77(3):394-402.
- (311) Evans SM, Johanson CE. Amphetamine-like effects of anorectics and related compounds in pigeons. *J Pharmacol Exp Ther* 1987 June;241(3):817-25.

- (312) Fernstrom JD. Dietary precursors and brain neurotransmitter formation. *Annu Rev Med* 1981;32:413-25.
- (313) Fernstrom JD, Fernstrom MH. Monoamines and protein intake: are control mechanisms designed to monitor a threshold intake or a set point? *Nutr Rev* 2001 August;59(8 Pt 2):S60-S65.
- (314) Fernstrom JD. Effects of the diet and other metabolic phenomena on brain tryptophan uptake and serotonin synthesis. *Adv Exp Med Biol* 1991;294:369-76.
- (315) Fernstrom JD. Tryptophan, serotonin and carbohydrate appetite: will the real carbohydrate craver please stand up! *J Nutr* 1988 November;118(11):1417-9.
- (316) Fernstrom JD. Carbohydrate ingestion and brain serotonin synthesis: relevance to a putative control loop for regulating carbohydrate ingestion, and effects of aspartame consumption. *Appetite* 1988;11 Suppl 1:35-41.
- (317) Fernstrom JD. Dietary effects on brain serotonin synthesis: relationship to appetite regulation. *Am J Clin Nutr* 1985 November;42(5 Suppl):1072-82.
- (318) Fernstrom JD, Wurtman RJ. Nutrition and the brain. *Sci Am* 1974 February;230(2):84-91.
- (319) Fukagawa K, Sakata T. [Monoaminergic anorectic agents]. *Nippon Yakurigaku Zasshi* 2001 November;118(5):303-8.
- (320) Garattini S, Mennini T, Bendotti C, Invernizzi R, Samanin R. Neurochemical mechanism of action of drugs which modify feeding via the serotonergic system. *Appetite* 1986;7 Suppl:15-38.
- (321) Ghadimi H. Amino acids and obesity. *Pediatr Ann* 1984 July;13(7):557-63.
- (322) Gietzen DW, Hammer VA, Beverly JL, Rogers QR. The role of serotonin (5-HT) in feeding responses to amino acids. *Adv Exp Med Biol* 1991;294:389-404.
- (323) Halford JC, Blundell JE. Separate systems for serotonin and leptin in appetite control. *Ann Med* 2000 April;32(3):222-32.
- (324) Haller C, Schwartz JB. Pharmacologic agents for weight reduction. *J Genet Specif Med* 2002 September;5(5):16-21.
- (325) Hanotin C, Thomas F, Jones SP, Leutenegger E, Drouin P. A comparison of sibutramine and dexfenfluramine in the treatment of obesity. *Obes Res* 1998 July;6(4):285-91.
- (326) Hirsch J, Mackintosh RM, Aronne LJ. The effects of drugs used to treat obesity on the autonomic nervous system. *Obes Res* 2000 May;8(3):227-33.
- (327) Hoebel BG. Brain neurotransmitters in food and drug reward. *Am J Clin Nutr* 1985 November;42(5 Suppl):1133-50.

- (328) Hull KM, Maher TJ. L-tyrosine fails to potentiate several peripheral actions of the sympathomimetics. *Pharmacol Biochem Behav* 1991 July;39(3):755-9.
- (329) Kaye WH, Ballenger JC, Lydiard RB et al. CSF monoamine levels in normal-weight bulimia: evidence for abnormal noradrenergic activity. *Am J Psychiatry* 1990 February;147(2):225-9.
- (330) Lecklin A, Tuomisto L. Inhibition of histamine catabolism suppresses fat intake but not the intake of carbohydrates and protein. *Inflamm Res* 2002 April;51 Suppl 1:S53-S54.
- (331) Leonhardt M, Hrupka B, Langhans W. New approaches in the pharmacological treatment of obesity. *Eur J Nutr* 1999 February;38(1):1-13.
- (332) Lipetz PD. Brain serotonin neurotoxicity and fenfluramine and dexfenfluramine. *JAMA* 1997 December 24;278(24):2141.
- (333) Lutz TA, Del Prete E, Walzer B, Scharrer E. The histaminergic, but not the serotonergic, system mediates amylin's anorectic effect. *Peptides* 1996;17(8):1317-22.
- (334) Moller SE. Serotonin, carbohydrates, and atypical depression. *Pharmacol Toxicol* 1992;71 Suppl 1:61-71.
- (335) Pawan GL. Drugs and appetite. *Proc Nutr Soc* 1974 December;33(3):239-44.
- (336) Pijl H, Koppeschaar HP, Cohen AF et al. Evidence for brain serotonin-mediated control of carbohydrate consumption in normal weight and obese humans. *Int J Obes Relat Metab Disord* 1993 September;17(9):513-20.
- (337) Poston WS, Foreyt JP, Borrell L, Haddock CK. Challenges in obesity management. *South Med J* 1998 August;91(8):710-20.
- (338) Rothman RB, Blough BE, Baumann MH. Appetite suppressants as agonist substitution therapies for stimulant dependence. *Ann N Y Acad Sci* 2002 June;965:109-26.
- (339) Seve B. Physiological roles of tryptophan in pig nutrition. *Adv Exp Med Biol* 1999;467:729-41.
- (340) Shor-Posner G, Azar AP, Jhanwar-Uniyal M, Filart R, Leibowitz SF. Destruction of noradrenergic innervation to the paraventricular nucleus: deficits in food intake, macronutrient selection, and compensatory eating after food deprivation. *Pharmacol Biochem Behav* 1986 August;25(2):381-92.
- (341) Silverstone T, Goodall E. The clinical pharmacology of appetite suppressant drugs. *Int J Obes* 1984;8 Suppl 1:23-33.
- (342) Strain GW. Nutrition, brain function and behavior. *Psychiatr Clin North Am* 1981 August;4(2):253-68.

- (343) Wellman PJ. Overview of adrenergic anorectic agents. *Am J Clin Nutr* 1992 January;55(1 Suppl):193S-8S.
- (344) Wellman PJ. Norepinephrine and the control of food intake. *Nutrition* 2000 October;16(10):837-42.
- (345) Wurtman J, Wurtman R, Mark S, Tsay R, Gilbert W, Growdon J. d-Fenfluramine selectively suppresses carbohydrate snacking by obese subjects. *Int J Eat Disord* 1985;4(1):89-99.
- (346) Wurtman J. Recent evidence from human studies linking central serotonergic function with carbohydrate intake. *Appetite* 1987 June;8(3):211-3.
- (347) Wurtman J. Control of carbohydrate intake in young and adult animals. *Int J Obes* 1980;4(4):310-3.
- (348) Wurtman JJ, Wurtman RJ. Studies on the appetite for carbohydrates in rats and humans. *J Psychiatr Res* 1982;17(2):213-21.
- (349) Wurtman JJ. Carbohydrate cravings: a disorder of food intake and mood. *Clin Neuropharmacol* 1988;11 Suppl 1:S139-S145.
- (350) Wurtman JJ, Wurtman RJ. Studies on the appetite for carbohydrates in rats and humans. *J Psychiatr Res* 1982;17(2):213-21.
- (351) Halford JC, Blundell JE. Separate systems for serotonin and leptin in appetite control. *Ann Med* 2000 April;32(3):222-32.
- (352) Heini AF, Lara-Castro C, Schneider H, Kirk KA, Considine RV, Weinsier RL. Effect of hydrolyzed guar fiber on fasting and postprandial satiety and satiety hormones: a double-blind, placebo-controlled trial during controlled weight loss. *Int J Obes Relat Metab Disord* 1998 September;22(9):906-9.
- (353) Kaye WH, Gwirtsman HE, Brewerton TD, George DT, Wurtman RJ. Bingeing behavior and plasma amino acids: a possible involvement of brain serotonin in bulimia nervosa. *Psychiatry Res* 1988 January;23(1):31-43.
- (354) Lawton CL, Wales JK, Hill AJ, Blundell JE. Serotonergic manipulation, meal-induced satiety and eating pattern: effect of fluoxetine in obese female subjects. *Obes Res* 1995 July;3(4):345-56.
- (355) Morley JE, Levine AS. Appetite regulation. Modern concepts offering food for thought. *Postgrad Med* 1985 February 15;77(3):42-4.
- (356) Spedding M, Ouvry C, Millan M, Duhault J, Dacquet C, Wurtman R. Neural control of dieting. *Nature* 1996 April 11;380(6574):488.
- (357) Wellman PJ. Norepinephrine and the control of food intake. *Nutrition* 2000 October;16(10):837-42.

- (358) Sandyk R. Treatment with weak electromagnetic fields attenuates carbohydrate craving in a patients with multiple sclerosis. *Int J Neurosci* 1996 July;86(1-2):67-77.
- (359) Strain GW, Strain JJ, Zumoff B. L-tryptophan does not increase weight loss in carbohydrate-craving obese subjects. *Int J Obes* 1985;9(6):375-80.
- (360) Wurtman JJ. Carbohydrate craving. Relationship between carbohydrate intake and disorders of mood. *Drugs* 1990;39 Suppl 3:49-52.
- (361) Wurtman JJ. Carbohydrate craving, mood changes, and obesity. *J Clin Psychiatry* 1988 August;49 Suppl:37-9.
- (362) Wurtman RJ, Wurtman JJ. Brain Serotonin, Carbohydrate-craving, obesity and depression. *Adv Exp Med Biol* 1996;398:35-41.
- (363) Wurtman RJ, Wurtman JJ. Carbohydrate craving, obesity and brain serotonin. *Appetite* 1986;7 Suppl:99-103.
- (364) Yeragani VK, Pohl R, Aleem A, Balon R, Sherwood P, Lycaki H. Carbohydrate craving and increased appetite associated with antidepressant therapy. *Can J Psychiatry* 1988 October;33(7):606-10.
- (365) Cole BJ, Cador M, Stinus L et al. Central administration of a CRF antagonist blocks the development of stress-induced behavioral sensitization. *Brain Res* 1990 April 2;512(2):343-6.
- (366) de Pedro N, Alonso-Gomez AL, Gancedo B, Valenciano AI, Delgado MJ, Alonso-Bedate M. Effect of alpha-helical-CRF[9-41] on feeding in goldfish: involvement of cortisol and catecholamines. *Behav Neurosci* 1997 April;111(2):398-403.
- (367) Smialowska M, Wieronska JM, Wedzony K. A search for colocalization of mglula receptors with CRF or NPY in the rat brain amygdala. *Folia Histochem Cytobiol* 2002;40(2):153-4.
- (368) Wieronska JM, Branski P, Palvcha A, Smialowska M. The effect of competitive and non-competitive NMDA receptor antagonists, ACPCand MK-801 on NPY and CRF-like immunoreactivity in the rat brain amygdala. *Neuropeptides* 2001 October;35(5-6):219-26.
- (369) Currie PJ, Saxena N, Tu AY. 5-HT(2A/2C) receptor antagonists in the paraventricular nucleus attenuate the action of DOI on NPY-stimulated eating. *Neuroreport* 1999 September 29;10(14):3033-6.
- (370) Currie PJ, Coscina DV. Stimulation of 5-HT(2A/2C) receptors within specific hypothalamic nuclei differentially antagonizes NPY-induced feeding. *Neuroreport* 1997 December 1;8(17):3759-62.

- (371) Haynes JM, Hill SJ, Selbie LA. Neuropeptide Y (NPY) and peptide YY (PYY) effects in the epididymis of the guinea-pig: evidence of a pre-junctional PYY-selective receptor. *Br J Pharmacol* 1997 December;122(7):1530-6.
- (372) Tempel DL, Leibowitz SF. Glucocorticoid receptors in PVN: interactions with NE, NPY, and Gal in relation to feeding. *Am J Physiol* 1993 November;265(5 Pt 1):E794-E800.
- (373) Wieronska JM, Branski P, Palvcha A, Smialowska M. The effect of competitive and non-competitive NMDA receptor antagonists, ACPCand MK-801 on NPY and CRF-like immunoreactivity in the rat brain amygdala. *Neuropeptides* 2001 October;35(5-6):219-26.
- (374) Reche A, Barrionuevo M, Campos MS. [Effect of various stimulant drugs on the nutritional utilization of protein and fat in rats]. *Rev Clin Esp* 1982 October 15;167(1):55-8.
- (375) Waluga M, Janusz M, Karpel E, Hartleb M, Nowak A. Cardiovascular effects of ephedrine, caffeine and yohimbine measured by thoracic electrical bioimpedance in obese women. *Clin Physiol* 1998 January;18(1):69-76.
- (376) Astrup A. Thermogenic drugs as a strategy for treatment of obesity. *Endocrine* 2000 October;13(2):207-12.
- (377) Bray GA. A concise review on the therapeutics of obesity. *Nutrition* 2000 October;16(10):953-60.
- (378) Dulloo AG. Herbal simulation of ephedrine and caffeine in treatment of obesity. *Int J Obes Relat Metab Disord* 2002 May;26(5):590-2.
- (379) Dulloo AG, Seydoux J, Girardier L, Chantre P, Vandermander J. Green tea and thermogenesis: interactions between catechin-polyphenols, caffeine and sympathetic activity. *Int J Obes Relat Metab Disord* 2000 February;24(2):252-8.
- (380) Dulloo AG. Ephedrine, xanthines and prostaglandin-inhibitors: actions and interactions in the stimulation of thermogenesis. *Int J Obes Relat Metab Disord* 1993 February;17 Suppl 1:S35-S40.
- (381) Dulloo AG, Seydoux J, Girardier L. Peripheral mechanisms of thermogenesis induced by ephedrine and caffeine in brown adipose tissue. *Int J Obes* 1991 May;15(5):317-26.
- (382) Dulloo AG, Miller DS. Ephedrine, caffeine and aspirin: "over-the-counter" drugs that interact to stimulate thermogenesis in the obese. *Nutrition* 1989 January;5(1):7-9.
- (383) Horton TJ, Geissler CA. Post-prandial thermogenesis with ephedrine, caffeine and aspirin in lean, pre-disposed obese and obese women. *Int J Obes Relat Metab Disord* 1996 February;20(2):91-7.

- (384) Lafreniere F, Lambert J, Rasio E, Serri O. Effects of dexfenfluramine treatment on body weight and postprandial thermogenesis in obese subjects. A double-blind placebo-controlled study. *Int J Obes Relat Metab Disord* 1993 January;17(1):25-30.
- (385) Liu YL, Toubro S, Astrup A, Stock MJ. Contribution of beta 3-adrenoceptor activation to ephedrine-induced thermogenesis in humans. *Int J Obes Relat Metab Disord* 1995 September;19(9):678-85.
- (386) Madsen J, Bulow J, Larsen OG et al. Localization of thermogenesis induced by single infusion of ephedrine in dog. *Pharmacol Toxicol* 1993 October;73(4):219-23.
- (387) Marmonier F, Duchamp C, Cohen-Adad F, Eldershaw TP, Barre H. Hormonal control of thermogenesis in perfused muscle of Muscovy ducklings. *Am J Physiol* 1997 November;273(5 Pt 2):R1638-R1648.
- (388) Roongpisuthipong C, Panpakdee O, Boontawee A, Kulapongse S, Tanphaichitr V. Possible thermogenesis with dexfenfluramine. *J Med Assoc Thai* 1999 February;82(2):150-9.
- (389) Rothwell NJ, Stock MJ, Wyllie MG. Sympathetic mechanisms in diet-induced thermogenesis: modification by ciclazindol and anorectic drugs. *Br J Pharmacol* 1981 November;74(3):539-46.
- (390) Shekelle P, Hardy M. Safety and efficacy of ephedra and ephedrine for enhancement of athletic performance, thermogenesis and the treatment of obesity. *Phytomedicine* 2002 January;9(1):78.
- (391) Vallerand AL. Effects of ephedrine/xanthines on thermogenesis and cold tolerance. *Int J Obes Relat Metab Disord* 1993 February;17 Suppl 1:S53-S56.
- (392) Walsh KM, Adams C, Sinclair A, Leen E, Lean ME. Influences on adrenaline-induced thermogenesis in obese women and relationship to cardiovascular responses. *Clin Sci (Lond)* 1998 February;94(2):121-7.
- (393) Wellman PJ, Davies BT. Effects of the alpha 1-adrenergic agonist cirazoline on locomotion and brown adipose tissue thermogenesis in the rat. *Life Sci* 1992;50(23):1745-53.
- (394) Wellman PJ, Sellers TL. Weight loss induced by chronic phenylpropanolamine: anorexia and brown adipose tissue thermogenesis. *Pharmacol Biochem Behav* 1986 March;24(3):605-11.
- (395) Yoshida T, Umekawa T, Wakabayashi Y, Yoshimoto K, Sakane N, Kondo M. Anti-obesity and anti-diabetic effects of mazindol in yellow KK mice: its activating effect on brown adipose tissue thermogenesis. *Clin Exp Pharmacol Physiol* 1996 June;23(6-7):476-82.

- (396) Zgourides GD, Warren R, Englert ME. Ephedrine-induced thermogenesis as an adjunct to cognitive restructuring and covert conditioning: a proposal for treatment of obese individuals. *Percept Mot Skills* 1989 October;69(2):563-72.
- (397) Katzung B. *Basic and Clinical Pharmacology*. 7th ed. Stamford, Conn: Appleton and Lange; 1998.
- (398) Dulloo AG, Seydoux J, Girardier L, Chantre P, Vandermander J. Green tea and thermogenesis: interactions between catechin-polyphenols, caffeine and sympathetic activity. *Int J Obes Relat Metab Disord* 2000 February;24(2):252-8.
- (399) Liu YL, Toubro S, Astrup A, Stock MJ. Contribution of beta 3-adrenoceptor activation to ephedrine-induced thermogenesis in humans. *Int J Obes Relat Metab Disord* 1995 September;19(9):678-85.
- (400) Madsen J, Bulow J, Larsen OG et al. Localization of thermogenesis induced by single infusion of ephedrine in dog. *Pharmacol Toxicol* 1993 October;73(4):219-23.
- (401) Marmonier F, Duchamp C, Cohen-Adad F, Eldershaw TP, Barre H. Hormonal control of thermogenesis in perfused muscle of Muscovy ducklings. *Am J Physiol* 1997 November;273(5 Pt 2):R1638-R1648.
- (402) Rothwell NJ, Stock MJ, Wyllie MG. Sympathetic mechanisms in diet-induced thermogenesis: modification by ciclazindol and anorectic drugs. *Br J Pharmacol* 1981 November;74(3):539-46.
- (403) Walsh KM, Adams C, Sinclair A, Leen E, Lean ME. Influences on adrenaline-induced thermogenesis in obese women and relationship to cardiovascular responses. *Clin Sci (Lond)* 1998 February;94(2):121-7.
- (404) Wellman PJ, Watkins-Freeman PA. Effects of 4-hydroxyamphetamine on in vivo brown adipose tissue thermogenesis and feeding behavior in the rat. *Behav Neurosci* 1984 December;98(6):1060-4.
- (405) Yoshida T, Umekawa T, Wakabayashi Y, Yoshimoto K, Sakane N, Kondo M. Anti-obesity and anti-diabetic effects of mazindol in yellow KK mice: its activating effect on brown adipose tissue thermogenesis. *Clin Exp Pharmacol Physiol* 1996 June;23(6-7):476-82.
- (406) Zgourides GD, Warren R, Englert ME. Ephedrine-induced thermogenesis as an adjunct to cognitive restructuring and covert conditioning: a proposal for treatment of obese individuals. *Percept Mot Skills* 1989 October;69(2):563-72.
- (407) Dejima Y, Fukuda S, Ichijoh Y, Takasaka K, Ohtsuka R. Cold-induced salt intake in mice and catecholamine, renin and thermogenesis mechanisms. *Appetite* 1996 June;26(3):203-19.
- (408) Battilana P, Seematter G, Schneiter P, Jequier E, Tappy L. Effects of free fatty acids on insulin sensitivity and hemodynamics during mental stress. *J Clin Endocrinol Metab* 2001 January;86(1):124-8.

- (409) Dannenburg WN, Kardian BC. The effect of fenfluramine and methamphetamine on free fatty acid release in epididymal fat cells of the rat. *Arch Int Pharmacodyn Ther* 1969 January;177(1):196-210.
- (410) Krentz AJ, Freedman D, Greene R, McKinley M, Boyle PJ, Schade DS. Differential effects of physiological versus pathophysiological plasma concentrations of epinephrine and norepinephrine on ketone body metabolism and hepatic portal blood flow in man. *Metabolism* 1996 October;45(10):1214-20.
- (411) Abadie JM, Wright B, Correa G, Browne ES, Porter JR, Svec F. Effect of dehydroepiandrosterone on neurotransmitter levels and appetite regulation of the obese Zucker rat. The Obesity Research Program. *Diabetes* 1993 May;42(5):662-9.
- (412) Abdallah AH. On the role of norepinephrine in the anorectic effect of D-amphetamine in mice. *Arch Int Pharmacodyn Ther* 1971 July;192(1):72-7.
- (413) Ahlskog JE, Randall PK, Hernandez L, Hoebel BG. Diminished amphetamine anorexia and enhanced fenfluramine anorexia after midbrain 6-hydroxydopamine. *Psychopharmacology (Berl)* 1984;82(1-2):118-21.
- (414) Ahlskog JE. Food intake and amphetamine anorexia after selective forebrain norepinephrine loss. *Brain Res* 1974 December 27;82(2):211-40.
- (415) Ammar AA, Sodersten P, Johnson AE. Locus coeruleus noradrenergic lesions attenuate intraoral intake. *Neuroreport* 2001 October 8;12(14):3095-9.
- (416) Anttila SA, Leinonen EV. A review of the pharmacological and clinical profile of mirtazapine. *CNS Drug Rev* 2001;7(3):249-64.
- (417) Aravich PF, Sladek CD. Vasopressin and glucoprivic-feeding behavior: a new perspective on an 'old' peptide. *Brain Res* 1986 October 22;385(2):245-52.
- (418) Aronne LJ. Modern medical management of obesity: the role of pharmaceutical intervention. *J Am Diet Assoc* 1998 October;98(10 Suppl 2):S23-S26.
- (419) Aulakh CS, Hill JL, Murphy DL. Enhanced anorexic responses to m-chlorophenylpiperazine during lithium administration to fawn-hooded rats. *Pharmacol Biochem Behav* 1994 November;49(3):759-62.
- (420) Batt RA, Wilson CA, Topping DL. Potentiation of hyperphagia and relief of hypothermia in the genetically obese mouse (genotype, ob/ob) by alpha-methyl tyrosine. *Int J Obes* 1978;2(3):303-7.
- (421) Baum T, Gluckman MI. In vitro interactions of the new anorexic agent WY-5244 with cardiac and vascular tissue and with adrenergic mechanisms. *J Pharmacol Exp Ther* 1967 December;158(3):510-8.
- (422) Baum T, Gluckman MI. A new anorexic agent, WY-5244: cardiovascular actions and influence on sympathomimetic amines. *J Pharmacol Exp Ther* 1967 July;157(1):32-41.

- (423) Baumann MH, Schuster CR, Rothman RB. Effects of phentermine and cocaine on fenfluramine-induced depletion of serotonin in mouse brain. *Drug Alcohol Depend* 1996 May;41(1):71-4.
- (424) Berger BD, Wise CD, Stein L. Norepinephrine: reversal of anorexia in rats with lateral hypothalamic damage. *Science* 1971 April 16;172(980):281-4.
- (425) Berke EM, Morden NE. Medical management of obesity. *Am Fam Physician* 2000 July 15;62(2):419-26.
- (426) Bernstein JG. Induction of obesity by psychotropic drugs. *Ann N Y Acad Sci* 1987;499:203-15.
- (427) Berry MJ, Poyser RH, Robertson MI. Inhibition by appetite suppressants of the pressor response to (+)-amphetamine in anaesthetized cats. *J Pharm Pharmacol* 1971 February;23(2):140-2.
- (428) Bocknik SE, Kulkarni AS. Effects of anorectic agents on blood pressure of the dog. *Arch Int Pharmacodyn Ther* 1973 April;202(2):213-8.
- (429) Booth DA. Neurochemistry of appetite mechanisms. *Proc Nutr Soc* 1978 September;37(2):181-91.
- (430) Borsini F, Bendotti C, Carli M, Poggesi E, Samanin R. The roles of brain noradrenaline and dopamine in the anorectic activity of diethylpropion in rats: a comparison with d-amphetamine. *Res Commun Chem Pathol Pharmacol* 1979 October;26(1):3-11.
- (431) Bray GA. Drug treatment of obesity. *Rev Endocr Metab Disord* 2001 October;2(4):403-18.
- (432) Bray GA, Blackburn GL, Ferguson JM et al. Sibutramine produces dose-related weight loss. *Obes Res* 1999 March;7(2):189-98.
- (433) Brodie BB, Cho AK, Stefano FJ, Gessa GL. On mechanisms of norepinephrine release by amphetamine and tyramine and tolerance to their effects. *Adv Biochem Psychopharmacol* 1969;1:219-38.
- (434) Brown BS, Payne T, Kim C, Moore G, Krebs P, Martin W. Chronic response of rat brain norepinephrine and serotonin levels to endurance training. *J Appl Physiol* 1979 January;46(1):19-23.
- (435) Campbell ML, Mathys ML. Pharmacologic options for the treatment of obesity. *Am J Health Syst Pharm* 2001 July 15;58(14):1301-8.
- (436) Abadie JM, Wright B, Correa G, Browne ES, Porter JR, Svec F. Effect of dehydroepiandrosterone on neurotransmitter levels and appetite regulation of the obese Zucker rat. The Obesity Research Program. *Diabetes* 1993 May;42(5):662-9.

- (437) Chance WT, van Lammeren FM, Fischer JE. Feeding elicited by cholinergic and adrenergic hypothalamic stimulation of anorectic tumor-bearing rats. *Pharmacol Biochem Behav* 1988 September;31(1):209-13.
- (438) Chazov EI. [New approaches to the study of central nervous system regulation mechanisms]. *Vestn Ross Akad Med Nauk* 1993 July;(7):31-4.
- (439) Cole JO, Levin A, Beake B, Kaiser PE, Scheinbaum ML. Sibutramine: a new weight loss agent without evidence of the abuse potential associated with amphetamines. *J Clin Psychopharmacol* 1998 June;18(3):231-6.
- (440) Costa E, Gropetti A, Naimzada MK. Effects of amphetamine on the turnover rate of brain catecholamines and motor activity. *Br J Pharmacol* 1972 April;44(4):742-51.
- (441) Currie PJ, Wilson LM. Yohimbine attenuates clonidine-induced feeding and macronutrient selection in genetically obese (ob/ob) mice. *Pharmacol Biochem Behav* 1992 December;43(4):1039-46.
- (442) Dannenburg WN, Kardian BC. The effect of fenfluramine and methamphetamine on free fatty acid release in epididymal fat cells of the rat. *Arch Int Pharmacodyn Ther* 1969 January;177(1):196-210.
- (443) Davis JR, Keesey RE. Norepinephrine-induced eating: its hypothalamic locus and an alternate interpretation of action. *J Comp Physiol Psychol* 1971 December;77(3):394-402.
- (444) Duhault J, Beregi L, Roman F. Substituted phenethylamines and anorexia. *Prog Neuropsychopharmacol* 1980;4(4-5):341-9.
- (445) Dunn-Meynell AA, Levin BE. Location and effect of obesity on putative anorectic binding sites in the rat brain. *Obes Res* 1997 May;5(3):201-7.
- (446) Engelhardt R, Hort W. [Effect of aminorex on the rat circulation in long-term experiments]. *Naunyn Schmiedebergs Arch Pharmacol* 1970;266(4):318-9.
- (447) Frey HH, Schulz R. On the central mediation of anorexigenic drug effects. *Biochem Pharmacol* 1973 December 1;22(23):3041-9.
- (448) Gogerty JH, Trafold JH. Chemistry and pharmacology of mazindol. *Triangle* 1976;15(1):25-36.
- (449) Haynes JM, Hill SJ, Selbie LA. Neuropeptide Y (NPY) and peptide YY (PYY) effects in the epididymis of the guinea-pig: evidence of a pre-junctional PYY-selective receptor. *Br J Pharmacol* 1997 December;122(7):1530-6.
- (450) Haynes WG. Interaction between leptin and sympathetic nervous system in hypertension. *Curr Hypertens Rep* 2000 June;2(3):311-8.
- (451) Haynes WG, Sivitz WI, Morgan DA, Walsh SA, Mark AL. Sympathetic and cardiorenal actions of leptin. *Hypertension* 1997 September;30(3 Pt 2):619-23.

- (452) Hirsch J, Mackintosh RM, Aronne LJ. The effects of drugs used to treat obesity on the autonomic nervous system. *Obes Res* 2000 May;8(3):227-33.
- (453) Hoebel BG. Brain neurotransmitters in food and drug reward. *Am J Clin Nutr* 1985 November;42(5 Suppl):1133-50.
- (454) Hopkinson G. A neurochemical theory of appetite and weight changes in depressive states. *Acta Psychiatr Scand* 1981 September;64(3):217-25.
- (455) Imoberdorf R, Ballmer PE. [Obesity: principles of drug therapy]. *Ther Umsch* 2000 August;57(8):522-5.
- (456) Inui A, Okita M, Nakajima M et al. Neuropeptide regulation of feeding in dogs. *Am J Physiol* 1991 September;261(3 Pt 2):R588-R594.
- (457) Abadie JM, Wright B, Correa G, Browne ES, Porter JR, Svec F. Effect of dehydroepiandrosterone on neurotransmitter levels and appetite regulation of the obese Zucker rat. The Obesity Research Program. *Diabetes* 1993 May;42(5):662-9.
- (458) Jespersen J, Bonaccorsi A. Anti-amphetamine activity of fenfluramine and S 992 in the isolated tail artery of the rat. *J Pharm Pharmacol* 1969 November;21(11):776-7.
- (459) Kaye WH, Ballenger JC, Lydiard RB et al. CSF monoamine levels in normal-weight bulimia: evidence for abnormal noradrenergic activity. *Am J Psychiatry* 1990 February;147(2):225-9.
- (460) Kaye WH, Ebert MH, Raleigh M, Lake R. Abnormalities in CNS monoamine metabolism in anorexia nervosa. *Arch Gen Psychiatry* 1984 April;41(4):350-5.
- (461) Kruk ZL, Zarrindast MR. The effects of anorectic drugs on uptake and release of brain monoamines [proceedings]. *Br J Pharmacol* 1976 October;58(2):272P-3P.
- (462) Kurose Y, Terashima Y. Histamine regulates food intake through modulating noradrenaline release in the para-ventricular nucleus. *Brain Res* 1999 May 15;828(1-2):115-8.
- (463) Levin BE, Dunn-Meynell AA. Sibutramine alters the central mechanisms regulating the defended body weight in diet-induced obese rats. *Am J Physiol Regul Integr Comp Physiol* 2000 December;279(6):R2222-R2228.
- (464) Levine AS, Kneip J, Grace M, Morley JE. Effect of centrally administered neurotensin on multiple feeding paradigms. *Pharmacol Biochem Behav* 1983 January;18(1):19-23.
- (465) Luque CA, Rey JA. Sibutramine: a serotonin-norepinephrine reuptake-inhibitor for the treatment of obesity. *Ann Pharmacother* 1999 September;33(9):968-78.
- (466) Mawson AR. Anorexia nervosa and the regulation of intake: a review. *Psychol Med* 1974 August;4(3):289-308.

- (467) McNeely W, Goa KL. Sibutramine. A review of its contribution to the management of obesity. *Drugs* 1998 December;56(6):1093-124.
- (468) McTavish SF, McPherson MH, Sharp T, Cowen PJ. Attenuation of some subjective effects of amphetamine following tyrosine depletion. *J Psychopharmacol* 1999;13(2):144-7.
- (469) Mendelson WB. Neurotransmitters and sleep. *J Clin Psychiatry* 2001;62 Suppl 10:5-8.
- (470) Morley JE, Levine AS. Appetite regulation. Modern concepts offering food for thought. *Postgrad Med* 1985 February 15;77(3):42-4.
- (471) Nielsen CK, Magnussen MP, Kampmann E, Frey HH. Pharmacological properties of racemic and optically active p-chloroamphetamine. *Arch Int Pharmacodyn Ther* 1967 December;170(2):428-42.
- (472) Orosco M, Rouch C, Gerozissis K. Activation of hypothalamic insulin by serotonin is the primary event of the insulin-serotonin interaction involved in the control of feeding. *Brain Res* 2000 July 28;872(1-2):64-70.
- (473) Orosco M, Bremond J, Jacquot C, Cohen Y. Effect of three anorectic drugs on central catecholamine levels and synthesis in the Zucker rat. *Gen Pharmacol* 1983;14(3):337-42.
- (474) Patil PN, LaPidus JB, Tye A. Steric aspects of adrenergic drugs. I. Comparative effects of DL isomers and desoxy derivatives. *J Pharmacol Exp Ther* 1967 January;155(1):1-12.
- (475) Patil PN, LaPidus JB, Campbell D, Tye A. Steric aspects of adrenergic drugs. II. Effects of DL isomers and desoxy derivatives on the reserpine-pretreated vas deferens. *J Pharmacol Exp Ther* 1967 January;155(1):13-23.
- (476) Rowland NE, Lo J, Robertson K. Acute anorectic effect of single and combined drugs in mice using a non-deprivation protocol. *Psychopharmacology (Berl)* 2001 September;157(2):193-6.
- (477) Ryan DH, Bray GA, Rossner S, Galasso GJ. Conference report--obesity: new directions, June 27-29, 1998, Charleston, South Carolina. *Obes Res* 1999 May;7(3):303-8.
- (478) Ryan DH, Kaiser P, Bray GA. Sibutramine: a novel new agent for obesity treatment. *Obes Res* 1995 November;3 Suppl 4:553S-9S.
- (479) Sanghvi IS, Singer G, Friedman E, Gershon S. Anorexigenic effects of d-amphetamine and l-DOPA in the rat. *Pharmacol Biochem Behav* 1975 January;3(1):81-6.
- (480) Scheen AJ, Lefebvre PJ. Antiobesity pharmacotherapy in the management of type 2 diabetes. *Diabetes Metab Res Rev* 2000 March;16(2):114-24.

- (481) Schuster J, Ihli M. The mechanism of some sympathomimetic amines. *Pharmacology* 1973;9(4):240-51.
- (482) Slangen JL. The role of hypothalamic noradrenergic neurons in food intake regulation. *Prog Brain Res* 1974;41:395-407.
- (483) Southwick SM, Paige S, Morgan CA, III, Bremner JD, Krystal JH, Charney DS. Neurotransmitter alterations in PTSD: catecholamines and serotonin. *Semin Clin Neuropsychiatry* 1999 October;4(4):242-8.
- (484) Sugawara AM, Miguel TT, de Oliveira LB, Menani JV, Luca Junior LA. Noradrenaline and mixed alpha 2-adrenoceptor/imidazoline-receptor ligands: effects on sodium intake. *Brain Res* 1999 August 28;839(2):227-34.
- (485) Wellman PJ. Norepinephrine and the control of food intake. *Nutrition* 2000 October;16(10):837-42.
- (486) Wong DT, Bymaster FP, Mayle DA, Reid LR, Krushinski JH, Robertson DW. LY248686, a new inhibitor of serotonin and norepinephrine uptake. *Neuropsychopharmacology* 1993 January;8(1):23-33.
- (487) Morley JE, Levine AS. Appetite regulation. Modern concepts offering food for thought. *Postgrad Med* 1985 February 15;77(3):42-4.
- (488) Wellman PJ. Norepinephrine and the control of food intake. *Nutrition* 2000 October;16(10):837-42.
- (489) Blundell JE, Hill AJ. Nutrition, serotonin and appetite: case study in the evolution of a scientific idea. *Appetite* 1987 June;8(3):183-94.
- (490) Booth DA. Neurochemistry of appetite mechanisms. *Proc Nutr Soc* 1978 September;37(2):181-91.
- (491) Colmenares JL, Wurtman RJ, Fernstrom JD. Effects of ingestion of a carbohydrate-fat meal on the levels and synthesis of 5-hydroxyindoles in various regions of the rat central nervous system. *J Neurochem* 1975 December;25(6):825-9.
- (492) Fernstrom JD. Tryptophan, serotonin and carbohydrate appetite: will the real carbohydrate craver please stand up! *J Nutr* 1988 November;118(11):1417-9.
- (493) Fernstrom JD. Acute and chronic effects of protein and carbohydrate ingestion on brain tryptophan levels and serotonin synthesis. *Nutr Rev* 1986 May;44 Suppl:25-36.
- (494) Fernstrom JD, Wurtman RJ. Control of brain serotonin levels by the diet. *Adv Biochem Psychopharmacol* 1974;11(0):133-42.
- (495) Fernstrom JD, Wurtman RJ. Brain serotonin content: physiological regulation by plasma neutral amino acids. *Science* 1972 October 27;178(59):414-6.

- (496) Fernstrom JD, Wurtman RJ. Brain serotonin content: increase following ingestion of carbohydrate diet. *Science* 1971 December 3;174(13):1023-5.
- (497) Frank A, Menden E. [The effect of tryptophan on the regulation of food intake in normal and overweight persons]. *Z Ernahrungswiss* 1994 September;33(3):167-84.
- (498) Heraief E, Burckhardt P, Mauron C, Wurtman JJ, Wurtman RJ. The treatment of obesity by carbohydrate deprivation suppresses plasma tryptophan and its ratio to other large neutral amino acids. *J Neural Transm* 1983;57(3):187-95.
- (499) Hopkinson G. A neurochemical theory of appetite and weight changes in depressive states. *Acta Psychiatr Scand* 1981 September;64(3):217-25.
- (500) Jacoby JH, Colmenares JL, Wurtman RJ. Failure of decreased serotonin uptake or monoamine oxidase inhibition to block the acceleration in brain 5-hydroxyindole synthesis that follows food consumption. *J Neural Transm* 1975;37(1):25-32.
- (501) Lawton CL, Blundell JE. 5-HT and carbohydrate suppression: effects of 5-HT antagonists on the action of d-fenfluramine and DOI. *Pharmacol Biochem Behav* 1993 October;46(2):349-60.
- (502) Lawton CL, Wales JK, Hill AJ, Blundell JE. Serotonergic manipulation, meal-induced satiety and eating pattern: effect of fluoxetine in obese female subjects. *Obes Res* 1995 July;3(4):345-56.
- (503) Lehnert H, Wurtman RJ. Amino acid control of neurotransmitter synthesis and release: physiological and clinical implications. *Psychother Psychosom* 1993;60(1):18-32.
- (504) Lehnert H, Wurtman RJ. Amino acid control of neurotransmitter synthesis and release: physiological and clinical implications. *Psychother Psychosom* 1993;60(1):18-32.
- (505) Madras BK, Cohen EL, Messing R, Munro HN, Wurtman RJ. Relevance of free tryptophan in serum to tissue tryptophan concentrations. *Metabolism* 1974 December;23(12):1107-16.
- (506) O'Rourke DA, Wurtman JJ, Wurtman RJ et al. Aberrant snacking patterns and eating disorders in patients with obsessive compulsive disorder. *J Clin Psychiatry* 1994 October;55(10):445-7.
- (507) Spring B, Wurtman J, Wurtman R et al. Efficacies of dexfenfluramine and fluoxetine in preventing weight gain after smoking cessation. *Am J Clin Nutr* 1995 December;62(6):1181-7.
- (508) Wurtman J. Recent evidence from human studies linking central serotonergic function with carbohydrate intake. *Appetite* 1987 June;8(3):211-3.
- (509) Wurtman JJ. Depression and weight gain: the serotonin connection. *J Affect Disord* 1993 October;29(2-3):183-92.

- (510) Wurtman JJ. Carbohydrate craving, mood changes, and obesity. *J Clin Psychiatry* 1988 August;49 Suppl:37-9.
- (511) Wurtman JJ. Disorders of food intake. Excessive carbohydrate snack intake among a class of obese people. *Ann N Y Acad Sci* 1987;499:197-202.
- (512) Wurtman JJ. Neurotransmitter control of carbohydrate consumption. *Ann N Y Acad Sci* 1985;443:145-51.
- (513) Wurtman JJ. The involvement of brain serotonin in excessive carbohydrate snacking by obese carbohydrate cravers. *J Am Diet Assoc* 1984 September;84(9):1004-7.
- (514) Wurtman JJ, Wurtman RJ. Drugs that enhance central serotonergic transmission diminish elective carbohydrate consumption by rats. *Life Sci* 1979 March 5;24(10):895-903.
- (515) Wurtman RJ. Behavioural effects of nutrients. *Lancet* 1983 May 21;1(8334):1145-7.
- (516) Wurtman RJ. Nutrients affecting brain composition and behavior. *Integr Psychiatry* 1987 December;5(4):226-38.
- (517) Wurtman RJ, Wurtman JJ. Brain serotonin, carbohydrate-craving, obesity and depression. *Obes Res* 1995 November;3 Suppl 4:477S-80S.
- (518) Wurtman RJ. Neurotransmitters, control of appetite, and obesity. *Curr Concepts Nutr* 1988;16:27-34.
- (519) Wurtman RJ, Wurtman JJ. Do carbohydrates affect food intake via neurotransmitter activity? *Appetite* 1988;11 Suppl 1:42-7.
- (520) Wurtman RJ. Dietary treatments that affect brain neurotransmitters. Effects on calorie and nutrient intake. *Ann N Y Acad Sci* 1987;499:179-90.
- (521) Wurtman RJ. Behavioural effects of nutrients. *Lancet* 1983 May 21;1(8334):1145-7.
- (522) Wurtman RJ. When--and why--should nutritional state control neurotransmitter synthesis? *J Neural Transm Suppl* 1979;(15):69-79.
- (523) Wurtman RJ, Fernstrom JD. Control of brain monoamine synthesis by diet and plasma amino acids. *Am J Clin Nutr* 1975 June;28(6):638-47.
- (524) Wurtman RJ, Fernstrom JD. Control of brain serotonin by the diet. *Adv Neurol* 1974;5:19-29.
- (525) Cold, cough, allergy, bronchodilator, and antiasthmatic drug products for over-the-counter human use; partial final rule for combination drug products containing a bronchodilator. Final rule. *Fed Regist* 2001 September 27;66(188):49276-8.

- (526) Acar N, Patterson PH, Barbato GF. 1. Appetite suppressant activity of supplemental dietary amino acids and subsequent compensatory growth of broilers. *Poult Sci* 2001 August;80(8):1215-22.
- (527) Bray GA. Drug treatment of obesity. *Baillieres Best Pract Res Clin Endocrinol Metab* 1999 April;13(1):131-48.
- (528) Fukagawa K, Sakata T. [Monoaminergic anorectic agents]. *Nippon Yakurigaku Zasshi* 2001 November;118(5):303-8.
- (529) Hamor GH, Breslow DM, Fisch GW. Benzyloxyamines as possible inhibitors of histamine biosynthesis. *J Pharm Sci* 1970 December;59(12):1752-6.
- (530) Ishizuka T, Yamamoto Y, Yamatodani A. The effect of orexin-A and -B on the histamine release in the anterior hypothalamus in rats. *Neurosci Lett* 2002 April 26;323(2):93-6.
- (531) Itoh E, Fujimiya M, Inui A. Thioperamide, a histamine H3 receptor antagonist, powerfully suppresses peptide YY-induced food intake in rats. *Biol Psychiatry* 1999 February 15;45(4):475-81.
- (532) Jochem J, Zwiriska-Korczała K. Involvement of central noradrenergic system in the pressor effect of histamine administered intracerebroventricularly in rats - haemodynamic studies. *Inflamm Res* 2002 April;51 Suppl 1:S59-S60.
- (533) Mercer LP, Kelley DS, Haq A, Humphries LL. Dietary induced anorexia: a review of involvement of the histaminergic system. *J Am Coll Nutr* 1996 June;15(3):223-30.
- (534) Morimoto T, Yamamoto Y, Yamatodani A. Brain histamine and feeding behavior. *Behav Brain Res* 2001 October 15;124(2):145-50.
- (535) Pawan GL. Drugs and appetite. *Proc Nutr Soc* 1974 December;33(3):239-44.
- (536) Samanin R, Mennini T, Bendotti C, Barone D, Caccia S, Garattini S. Evidence that central 5-HT₂ receptors do not play an important role in the anorectic activity of D-fenfluramine in the rat. *Neuropharmacology* 1989 May;28(5):465-9.
- (537) Stahl SM. Neuropharmacology of obesity: my receptors made me eat it. *J Clin Psychiatry* 1998 September;59(9):447-8.
- (538) Suh BC, Lee H, Jun DJ, Chun JS, Lee JH, Kim KT. Inhibition of H₂ histamine receptor-mediated cation channel opening by protein kinase C in human promyelocytic cells. *J Immunol* 2001 August 1;167(3):1663-71.
- (539) Aitken SM, Kirsch JF. Kinetics of the yeast cystathionine beta-synthase forward and reverse reactions: continuous assays and the equilibrium constant for the reaction. *Biochemistry* 2003 January 21;42(2):571-8.
- (540) Arsura M, Panta GR, Bilyeu JD et al. Transient activation of NF-kappaB through a TAK1/IKK kinase pathway by TGF-beta1 inhibits AP-1/SMAD signaling and

- apoptosis: implications in liver tumor formation. *Oncogene* 2003 January 23;22(3):412-25.
- (541) Haider UG, Sorescu D, Griendling KK, Vollmar AM, Dirsch VM. Resveratrol Increases Serine(15)-Phosphorylated but Transcriptionally Impaired p53 and Induces a Reversible DNA Replication Block in Serum-Activated Vascular Smooth Muscle Cells. *Mol Pharmacol* 2003 April;63(4):925-32.
- (542) Hirst CE, Buzza MS, Bird CH et al. The intracellular granzyme B inhibitor, proteinase inhibitor 9, is up-regulated during accessory cell maturation and effector cell degranulation, and its overexpression enhances CTL potency. *J Immunol* 2003 January 15;170(2):805-15.
- (543) The role of excitatory amino acids in the actions of abused drugs. *NIDA Res Monogr* 1994;140:65-8.
- (544) Angel-Meza AR, Ramirez-Cortes L, Adame-Gonzalez IG, Gonzalez B, I, Beas-Zarate C. Cerebral GABA release and GAD activity in protein- and tryptophan-restricted rats during development. *Int J Dev Neurosci* 2002 February;20(1):47-54.
- (545) Arrigoni E, Rainnie DG, McCarley RW, Greene RW. Adenosine-mediated presynaptic modulation of glutamatergic transmission in the laterodorsal tegmentum. *J Neurosci* 2001 February 1;21(3):1076-85.
- (546) Barbeito L, Cheramy A, Godeheu G, Desce JM, Glowinski J. Glutamate Receptors of a Quisqualate-Kainate Subtype are Involved in the Presynaptic Regulation of Dopamine Release in the Cat Caudate Nucleus in vivo. *Eur J Neurosci* 1990;2(4):304-11.
- (547) Belenikin MS, Baskin II, Palyulin VA, Zefirov NS. A new binding mode of competitive antagonists to metabotropic glutamate receptors exemplified by the mGluR1-receptor antagonist AIDA (RS- aminoindan-1,5-dicarboxylic acid). *Dokl Biochem Biophys* 2002 May;384:131-5.
- (548) Breyse N, Baunez C, Spooren W, Gasparini F, Amalric M. Chronic but not acute treatment with a metabotropic glutamate 5 receptor antagonist reverses the akinetic deficits in a rat model of parkinsonism. *J Neurosci* 2002 July 1;22(13):5669-78.
- (549) Car H, Oksztel R, Nadlewska A, Wisniewski K. NMDA receptor antagonists change behavioral activity of rats treated with (S)-4CPG. *Pol J Pharmacol* 2001 July;53(4):331-9.
- (550) Chiang AS, Pszczolkowski MA, Liu HP, Lin SC. Iontropic glutamate receptors mediate juvenile hormone synthesis in the cockroach, *Diploptera punctata*. *Insect Biochem Mol Biol* 2002 June;32(6):669-78.
- (551) Dhama GK, Anborgh PH, Dale LB, Sterne-Marr R, Ferguson SS. Phosphorylation-independent regulation of metabotropic glutamate receptor

- signaling by G protein-coupled receptor kinase 2. *J Biol Chem* 2002 July 12;277(28):25266-72.
- (552) Diaz-Cabiale Z, Vivo M, del Arco A et al. Metabotropic glutamate mGlu5 receptor-mediated modulation of the ventral striopallidal GABA pathway in rats. Interactions with adenosine A(2A) and dopamine D(2) receptors. *Neurosci Lett* 2002 May 17;324(2):154-8.
- (553) Doi A, Ishibashi H, Jinno S, Kosaka T, Akaike N. Presynaptic inhibition of GABAergic miniature currents by metabotropic glutamate receptor in the rat CNS.
- (554) Fendt M, Schmid S. Metabotropic glutamate receptors are involved in amygdaloid plasticity. *Eur J Neurosci* 2002 May;15(9):1535-41.
- (555) Giuliano F, Rampin O, Allard J. Neurophysiology and pharmacology of female genital sexual response. *J Sex Marital Ther* 2002;28 Suppl 1:101-21.
- (556) Grosshans DR, Clayton DA, Coultrap SJ, Browning MD. Analysis of glutamate receptor surface expression in acute hippocampal slices. *Sci STKE* 2002 June 18;2002(137):L8.
- (557) Holscher C. Metabotropic glutamate receptors control gating of spike transmission in the hippocampus area CA1. *Pharmacol Biochem Behav* 2002 September;73(2):307-16.
- (558) Huemmeke M, Eysel UT, Mittmann T. Metabotropic glutamate receptors mediate expression of LTP in slices of rat visual cortex. *Eur J Neurosci* 2002 May;15(10):1641-5.
- (559) Karlsson U, Sjodin J, Angeby MK, Johansson S, Wikstrom L, Nasstrom J. Glutamate-induced currents reveal three functionally distinct NMDA receptor populations in rat dorsal horn - effects of peripheral nerve lesion and inflammation. *Neuroscience* 2002;112(4):861-8.
- (560) Katsurabayashi S, Kubota H, Wang ZM, Rhee JS, Akaike N. cAMP-dependent presynaptic regulation of spontaneous glycinergic IPSCs in mechanically dissociated rat spinal cord neurons. *J Neurophysiol* 2001 January;85(1):332-40.
- (561) Lee RK, Jimenez J, Cox AJ, Wurtman RJ. Metabotropic glutamate receptors regulate APP processing in hippocampal neurons and cortical astrocytes derived from fetal rats. *Ann N Y Acad Sci* 1996 January 17;777:338-43.
- (562) Leinekugel X, Khazipov R, Cannon R, Hirase H, Ben Ari Y, Buzsaki G. Correlated bursts of activity in the neonatal hippocampus in vivo. *Science* 2002 June 14;296(5575):2049-52.
- (563) Li W, Trexler EB, Massey SC. Glutamate receptors at rod bipolar ribbon synapses in the rabbit retina. *J Comp Neurol* 2002 July 1;448(3):230-48.

- (564) Mao L, Wang JQ. Glutamate Cascade to cAMP Response Element-Binding Protein Phosphorylation in Cultured Striatal Neurons through Calcium-Coupled Group I Metabotropic Glutamate Receptors. *Mol Pharmacol* 2002 September;62(3):473-84.
- (565) Martin-Ruiz R, Puig MV, Celada P et al. Control of serotonergic function in medial prefrontal cortex by serotonin-2A receptors through a glutamate-dependent mechanism. *J Neurosci* 2001 December 15;21(24):9856-66.
- (566) Meeker RB. Metabotropic and NMDA glutamate receptor interactions with osmotic stimuli in supraoptic neurons. *Pharmacol Biochem Behav* 2002 September;73(2):475-84.
- (567) Moghaddam B. Stress activation of glutamate neurotransmission in the prefrontal cortex: implications for dopamine-associated psychiatric disorders. *Biol Psychiatry* 2002 May 15;51(10):775-87.
- (568) Neugebauer V. Metabotropic glutamate receptors - important modulators of nociception and pain behavior. *Pain* 2002 June;98(1-2):1-8.
- (569) Pisani A, Bonsi P, Catania MV et al. Metabotropic glutamate 2 receptors modulate synaptic inputs and calcium signals in striatal cholinergic interneurons. *J Neurosci* 2002 July 15;22(14):6176-85.
- (570) Schoepp DD. Metabotropic glutamate receptors. *Pharmacol Biochem Behav* 2002 September;73(2):285-6.
- (571) Sevoz-Couche C, Maisonneuve B, Hamon M, Laguzzi R. Glutamate and NO mediation of the pressor response to 5-HT₃ receptor stimulation in the nucleus tractus solitarii. *Neuroreport* 2002 May 7;13(6):837-41.
- (572) Suchak SK, Baloyianni NV, Perkinson MS, Williams RJ, Meldrum BS, Rattray M. The 'glial' glutamate transporter, EAAT2 (Glt-1) accounts for high affinity glutamate uptake into adult rodent nerve endings. *J Neurochem* 2003 February;84(3):522-32.
- (573) Ulus IH, Wurtman RJ. Metabotropic glutamate receptor agonists increase release of soluble amyloid precursor protein derivatives from rat brain cortical and hippocampal slices. *J Pharmacol Exp Ther* 1997 April;281(1):149-54.
- (574) Wang G, Ding S, Yunokuchi K. Glutamate-induced increases in intracellular Ca²⁺ in cultured rat neocortical neurons. *Neuroreport* 2002 June 12;13(8):1051-6.
- (575) Chen JF, Moratalla R, Impagnatiello F et al. The role of the D(2) dopamine receptor (D(2)R) in A(2A) adenosine receptor (A(2A)R)-mediated behavioral and cellular responses as revealed by A(2A) and D(2) receptor knockout mice. *Proc Natl Acad Sci U S A* 2001 February 13;98(4):1970-5.

- (576) Chen JF, Xu K, Petzer JP et al. Neuroprotection by caffeine and A(2A) adenosine receptor inactivation in a model of Parkinson's disease. *J Neurosci* 2001 May 15;21(10):RC143.
- (577) Conlay LA, Conant JA, deBros F, Wurtman R. Caffeine alters plasma adenosine levels. *Nature* 1997 September 11;389(6647):136.
- (578) Conlay LA, Evoniuk G, Wurtman RJ. Endogenous adenosine and hemorrhagic shock: effects of caffeine administration or caffeine withdrawal. *Proc Natl Acad Sci U S A* 1988 June;85(12):4483-5.
- (579) Dulloo AG, Seydoux J, Girardier L. Potentiation of the thermogenic antiobesity effects of ephedrine by dietary methylxanthines: adenosine antagonism or phosphodiesterase inhibition? *Metabolism* 1992 November;41(11):1233-41.
- (580) Dulloo AG, Seydoux J, Girardier L. Peripheral mechanisms of thermogenesis induced by ephedrine and caffeine in brown adipose tissue. *Int J Obes* 1991 May;15(5):317-26.
- (581) Dunwiddie TV, Masino SA. The role and regulation of adenosine in the central nervous system. *Annu Rev Neurosci* 2001;24:31-55.
- (582) Evoniuk G, von Borstel RW, Wurtman RJ. Antagonism of the cardiovascular effects of adenosine by caffeine or 8- (p-sulfophenyl)theophylline. *J Pharmacol Exp Ther* 1987 February;240(2):428-32.
- (583) Schwarzschild MA, Chen JF, Ascherio A. Caffeinated clues and the promise of adenosine A(2A) antagonists in PD. *Neurology* 2002 April 23;58(8):1154-60.
- (584) Tofovic SP, Zacharia L, Carcillo JA, Jackson EK. Inhibition of adenosine deaminase attenuates endotoxin-induced release of cytokines in vivo in rats. *Shock* 2001 September;16(3):196-202.
- (585) von Borstel RW, Renshaw AA, Wurtman RJ. Adenosine strongly potentiates pressor responses to nicotine in rats. *Proc Natl Acad Sci U S A* 1984 September;81(17):5599-603.
- (586) Barcz E, Sommer E, Janik P, Marianowski L, Skopinska-Rozewska E. Adenosine receptor antagonism causes inhibition of angiogenic activity of human ovarian cancer cells. *Oncol Rep* 2000 November;7(6):1285-91.
- (587) Dulloo AG, Seydoux J, Girardier L. Potentiation of the thermogenic antiobesity effects of ephedrine by dietary methylxanthines: adenosine antagonism or phosphodiesterase inhibition? *Metabolism* 1992 November;41(11):1233-41.
- (588) Richter A, Hamann M. Effects of adenosine receptor agonists and antagonists in a genetic animal model of primary paroxysmal dystonia. *Br J Pharmacol* 2001 September;134(2):343-52.
- (589) Satoh A, Satoh K, Masamune A, Yamagiwa T, Shimosegawa T. Activation of adenosine A2a receptor pathway reduces leukocyte infiltration but enhances

- edema formation in rat caerulein pancreatitis. *Pancreas* 2002 January;24(1):75-82.
- (590) Dulloo AG, Seydoux J, Girardier L, Chantre P, Vandermander J. Green tea and thermogenesis: interactions between catechin-polyphenols, caffeine and sympathetic activity. *Int J Obes Relat Metab Disord* 2000 February;24(2):252-8.
- (591) Luceri C, Caderni G, Sanna A, Dolara P. Red wine and black tea polyphenols modulate the expression of cyclooxygenase-2, inducible nitric oxide synthase and glutathione- related enzymes in azoxymethane-induced f344 rat colon tumors. *J Nutr* 2002 June;132(6):1376-9.
- (592) Richelle M, Tavazzi I, Offord E. Comparison of the antioxidant activity of commonly consumed polyphenolic beverages (coffee, cocoa, and tea) prepared per cup serving. *J Agric Food Chem* 2001 July;49(7):3438-42.
- (593) Scalbert A, Williamson G. Dietary intake and bioavailability of polyphenols. *J Nutr* 2000 August;130(8S Suppl):2073S-85S.
- (594) Bender DA. Regulation of 5-hydroxytryptamine synthesis. *Proc Nutr Soc* 1978 September;37(2):159-65.
- (595) Birdsall TC. 5-Hydroxytryptophan: a clinically-effective serotonin precursor. *Altern Med Rev* 1998 August;3(4):271-80.
- (596) Wurtman RJ, Wurtman JJ. Brain serotonin, carbohydrate-craving, obesity and depression. *Obes Res* 1995 November;3 Suppl 4:477S-80S.
- (597) Choi S, Jonak EM, Simpson L, Patil V, Fernstrom JD. Intermittent, chronic fenfluramine administration to rats repeatedly suppresses food intake despite substantial brain serotonin reductions. *Brain Res* 2002 February 22;928(1-2):30-9.
- (598) Colmenares JL, Wurtman RJ, Fernstrom JD. Effects of ingestion of a carbohydrate-fat meal on the levels and synthesis of 5-hydroxyindoles in various regions of the rat central nervous system. *J Neurochem* 1975 December;25(6):825-9.
- (599) Fernstrom JD, Wurtman RJ. Brain serotonin content: increase following ingestion of carbohydrate diet. *Science* 1971 December 3;174(13):1023-5.
- (600) Fernstrom JD, Wurtman RJ. Brain serotonin content: physiological regulation by plasma neutral amino acids. *Science* 1972 October 27;178(59):414-6.
- (601) Fernstrom JD. Effects of the diet on brain function. *Acta Astronaut* 1981 September;8(9-10):1035-42.
- (602) Fernstrom JD, Fernstrom MH. Monoamines and protein intake: are control mechanisms designed to monitor a threshold intake or a set point? *Nutr Rev* 2001 August;59(8 Pt 2):S60-S65.

- (603) Fernstrom JD, Fernstrom MH. Diet, monoamine neurotransmitters and appetite control. *Nestle Nutr Workshop Ser Clin Perform Programme* 2001;(5):117-31.
- (604) Fernstrom JD. Can nutrient supplements modify brain function? *Am J Clin Nutr* 2000 June;71(6 Suppl):1669S-75S.
- (605) Fernstrom JD, Wurtman RJ. Brain serotonin content: physiological regulation by plasma neutral amino acids. 1971. *Obes Res* 1997 July;5(4):377-80.
- (606) Fernstrom JD. Dietary amino acids and brain function. *J Am Diet Assoc* 1994 January;94(1):71-7.
- (607) Fernstrom JD. Tryptophan, serotonin and carbohydrate appetite: will the real carbohydrate craver please stand up! *J Nutr* 1988 November;118(11):1417-9.
- (608) Fernstrom JD. Food-induced changes in brain serotonin synthesis: is there a relationship to appetite for specific macronutrients? *Appetite* 1987 June;8(3):163-82.
- (609) Fernstrom JD. Dietary effects on brain serotonin synthesis: relationship to appetite regulation. *Am J Clin Nutr* 1985 November;42(5 Suppl):1072-82.
- (610) Fernstrom JD. Acute effects of tryptophan and single meals on serotonin synthesis in the rat brain. *Adv Biochem Psychopharmacol* 1982;34:85-106.
- (611) Fernstrom JD. Dietary precursors and brain neurotransmitter formation. *Annu Rev Med* 1981;32:413-25.
- (612) Fernstrom JD, Wurtman RJ, Hammarstrom-Wiklund B, Rand WM, Munro HN, Davidson CS. Diurnal variations in plasma neutral amino acid concentrations among patients with cirrhosis: effect of dietary protein. *Am J Clin Nutr* 1979 September;32(9):1923-33.
- (613) Fernstrom JD, Faller DV. Neutral amino acids in the brain: changes in response to food ingestion. *J Neurochem* 1978 June;30(6):1531-8.
- (614) Fernstrom JD, Hirsch MJ. Brain serotonin synthesis: reduction in corn-malnourished rats. *J Neurochem* 1977 April;28(4):877-9.
- (615) Fernstrom JD. Effects on the diet on brain neurotransmitters. *Metabolism* 1977 February;26(2):207-23.
- (616) Fernstrom JD, Munro HN, Wurtman RJ. Brain tryptophan in rats on a high fat diet. *Nature* 1977 January 20;265(5591):277.
- (617) Fernstrom JD, Hirsch MJ, Faller DV. Tryptophan concentrations in rat brain. Failure to correlate with free serum tryptophan or its ratio to the sum of other serum neutral amino acids. *Biochem J* 1976 December 15;160(3):589-95.
- (618) Fernstrom JD, Lytle LD. Corn malnutrition, brain serotonin and behavior. *Nutr Rev* 1976 September;34(9):257-62.

- (619) Fernstrom JD, Hirsch NJ. Rapid repletion of brain serotonin in malnourished corn-fed rats following L-tryptophan injection. *Life Sci* 1975 August 1;17(3):455-63.
- (620) Fernstrom JD, Wurtman RJ. Nutrition and the brain. *Sci Am* 1974 February;230(2):84-91.
- (621) Fernstrom JD, Wurtman RJ. Control of brain serotonin levels by the diet. *Adv Biochem Psychopharmacol* 1974;11(0):133-42.
- (622) Fernstrom JD, Wurtman RJ. Effect of chronic corn consumption on serotonin content of rat brain. *Nat New Biol* 1971 November 10;234(45):62-4.
- (623) Fernstrom JD. Tryptophan, serotonin and carbohydrate appetite: will the real carbohydrate craver please stand up! *J Nutr* 1988 November;118(11):1417-9.
- (624) Fernstrom JD, Wurtman RJ. Nutrition and the brain. *Sci Am* 1974 February;230(2):84-91.
- (625) Ross DS, Fernstrom JD, Wurtman RJ. The role of dietary protein in generating daily rhythms in rat liver tryptophan pyrrolase and tyrosine transaminase. *Metabolism* 1973 September;22(9):1175-84.
- (626) Spedding M, Ouvry C, Millan M, Duhault J, Dacquet C, Wurtman R. Neural control of dieting. *Nature* 1996 April 11;380(6574):488.
- (627) Wurtman JJ, Wurtman RJ. Drugs that enhance central serotonergic transmission diminish elective carbohydrate consumption by rats. *Life Sci* 1979 March 5;24(10):895-903.
- (628) Wurtman JJ. The involvement of brain serotonin in excessive carbohydrate snacking by obese carbohydrate cravers. *J Am Diet Assoc* 1984 September;84(9):1004-7.
- (629) Wurtman JJ. Depression and weight gain: the serotonin connection. *J Affect Disord* 1993 October;29(2-3):183-92.
- (630) Wurtman JJ. Carbohydrate craving, mood changes, and obesity. *J Clin Psychiatry* 1988 August;49 Suppl:37-9.
- (631) Wurtman JJ, Fernstrom JD. Free amino acid, protein, and fat contents of breast milk from Guatemalan mothers consuming a corn-based diet. *Early Hum Dev* 1979 March;3(1):67-77.
- (632) Wurtman JJ, Moses PL, Wurtman RJ. Prior carbohydrate consumption affects the amount of carbohydrate that rats choose to eat. *J Nutr* 1983 January;113(1):70-8.
- (633) Wurtman RJ, Fernstrom JD. Control of brain monoamine synthesis by diet and plasma amino acids. *Am J Clin Nutr* 1975 June;28(6):638-47.

- (634) Wurtman RJ, Wurtman JJ. Brain serotonin, carbohydrate-craving, obesity and depression. *Obes Res* 1995 November;3 Suppl 4:477S-80S.
- (635) Wurtman RJ. Nutrients affecting brain composition and behavior. *Integr Psychiatry* 1987 December;5(4):226-38.
- (636) Wurtman RJ, Fernstrom JD. Control of brain monoamine synthesis by diet and plasma amino acids. *Am J Clin Nutr* 1975 June;28(6):638-47.
- (637) Wurtman RJ, Fernstrom JD. Control of brain serotonin by the diet. *Adv Neurol* 1974;5:19-29.
- (638) Wurtman RJ. Behavioural effects of nutrients. *Lancet* 1983 May 21;1(8334):1145-7.
- (639) Block MH, Boyer S, Brailsford W et al. Discovery and optimization of a series of carbazole ureas as NPY5 antagonists for the treatment of obesity. *J Med Chem* 2002 August 1;45(16):3509-23.
- (640) Chamorro S, Della-Zuana O, Fauchere JL, Feletou M, Galizzi JP, Levens N. Appetite suppression based on selective inhibition of NPY receptors. *Int J Obes Relat Metab Disord* 2002 March;26(3):281-98.
- (641) Marx J. Cellular Warriors at the Battle of the Bulge. *Science* 3 A.D. February 7;299(5608):846-9.
- (642) Moran TH, Lee P, Ladenheim EE, Schwartz GJ. Responsivity to NPY and melanocortins in obese OLETF rats lacking CCK-A receptors. *Physiol Behav* 2002 March;75(3):397-402.
- (643) Sederholm F, Ammar AA, Sodersten P. Intake inhibition by NPY: role of appetitive ingestive behavior and aversion. *Physiol Behav* 2002 April 1;75(4):567-75.
- (644) Turnbull AV, Ellershaw L, Masters DJ et al. Selective antagonism of the NPY Y5 receptor does not have a major effect on feeding in rats. *Diabetes* 2002 August;51(8):2441-9.
- (645) Asakawa A, Inui A, Kaga T et al. Ghrelin is an appetite-stimulatory signal from stomach with structural resemblance to motilin. *Gastroenterology* 2001 February;120(2):337-45.
- (646) Date Y, Murakami N, Toshinai K et al. The role of the gastric afferent vagal nerve in ghrelin-induced feeding and growth hormone secretion in rats. *Gastroenterology* 2002 October;123(4):1120-8.
- (647) Lawrence CB, Snape AC, Baudoin FM, Luckman SM. Acute central ghrelin and GH secretagogues induce feeding and activate brain appetite centers. *Endocrinology* 2002 January;143(1):155-62.

- (648) Melis MR, Mascia MS, Succu S et al. Ghrelin injected into the paraventricular nucleus of the hypothalamus of male rats induces feeding but not penile erection. *Neurosci Lett* 2002 September 6;329(3):339-43.
- (649) Nakazato M, Murakami N, Date Y et al. A role for ghrelin in the central regulation of feeding. *Nature* 2001 January 11;409(6817):194-8.
- (650) Yoshihara F, Kojima M, Hosoda H, Nakazato M, Kangawa K. Ghrelin: a novel peptide for growth hormone release and feeding regulation. *Curr Opin Clin Nutr Metab Care* 2002 July;5(4):391-5.
- (651) Batterham RL, Cowley MA, Small CJ et al. Gut hormone PYY(3-36) physiologically inhibits food intake. *Nature* 2002 August 8;418(6898):650-4.
- (652) Haynes JM, Hill SJ, Selbie LA. Neuropeptide Y (NPY) and peptide YY (PYY) effects in the epididymis of the guinea-pig: evidence of a pre-junctional PYY-selective receptor. *Br J Pharmacol* 1997 December;122(7):1530-6.
- (653) Marx J. Cellular Warriors at the Battle of the Bulge. *Science* 3 A.D. February 7;299(5608):846-9.
- (654) Hansen MJ, Ball MJ, Morris MJ. Enhanced inhibitory feeding response to alpha-melanocyte stimulating hormone in the diet-induced obese rat. *Brain Res* 2001 February 16;892(1):130-7.
- (655) Gura T. Obesity drug pipeline not so fat. *Science* 2003 February 7;299(5608):849-52.
- (656) Grill HJ, Markison S, Ginsberg A, Kaplan JM. Long-term effects on feeding and body weight after stimulation of forebrain or hindbrain CRH receptors with urocortin. *Brain Res* 2000 June 9;867(1-2):19-28.
- (657) Muller MB, Keck ME, Zimmermann S, Holsboer F, Wurst W. Disruption of feeding behavior in CRH receptor 1-deficient mice is dependent on glucocorticoids. *Neuroreport* 2000 June 26;11(9):1963-6.
- (658) Nishiyama M, Makino S, Asaba K, Hashimoto K. Leptin effects on the expression of type-2 CRH receptor mRNA in the ventromedial hypothalamus in the rat. *J Neuroendocrinol* 1999 April;11(4):307-14.
- (659) Halaban R, Tyrrell L, Longley J, Yarden Y, Rubin J. Pigmentation and proliferation of human melanocytes and the effects of melanocyte-stimulating hormone and ultraviolet B light. *Ann N Y Acad Sci* 1993 May 31;680:290-301.
- (660) Lincoln GA, Rhind SM, Pompolo S, Clarke IJ. Hypothalamic control of photoperiod-induced cycles in food intake, body weight, and metabolic hormones in rams. *Am J Physiol Regul Integr Comp Physiol* 2001 July;281(1):R76-R90.
- (661) Marx J. Cellular warriors at the battle of the bulge. *Science* 2003 February 7;299(5608):846-9.

- (662) Schwahn DJ, Xu W, Herrin AB, Bales ES, Medrano EE. Tyrosine levels regulate the melanogenic response to alpha-melanocyte-stimulating hormone in human melanocytes: implications for pigmentation and proliferation. *Pigment Cell Res* 2001 February;14(1):32-9.
- (663) Scott G, Cassidy L, Abdel-Malek Z. Alpha-melanocyte-stimulating hormone and endothelin-1 have opposing effects on melanocyte adhesion, migration, and pp125FAK phosphorylation. *Exp Cell Res* 1997 November 25;237(1):19-28.
- (664) Akana SF, Cascio CS, Du JZ, Levin N, Dallman MF. Reset of feedback in the adrenocortical system: an apparent shift in sensitivity of adrenocorticotropin to inhibition by corticosterone between morning and evening. *Endocrinology* 1986 November;119(5):2325-32.
- (665) Bugajski J, Gadek-Michalska A, Borycz J, Glod R, Bugajski AJ. The corticosterone response to cholinergic and CRF receptor stimulation in rats exposed to social crowding stress. *Inflamm Res* 1995 April;44 Suppl 1:S42-S43.
- (666) Ganong WF. Neurotransmitters and pituitary function: regulation of ACTH secretion. *Fed Proc* 1980 September;39(11):2923-30.
- (667) Kjaer A, Larsen PJ, Knigge U, Moller M, Warberg J. Histamine stimulates c-fos expression in hypothalamic vasopressin-, oxytocin-, and corticotropin-releasing hormone-containing neurons. *Endocrinology* 1994 January;134(1):482-91.
- (668) Kjaer A, Knigge U, Plotsky PM, Bach FW, Warberg J. Histamine H1 and H2 receptor activation stimulates ACTH and beta-endorphin secretion by increasing corticotropin-releasing hormone in the hypophyseal portal blood. *Neuroendocrinology* 1992 December;56(6):851-5.
- (669) Kjaer A, Knigge U, Bach FW, Warberg J. Histamine- and stress-induced secretion of ACTH and beta-endorphin: involvement of corticotropin-releasing hormone and vasopressin. *Neuroendocrinology* 1992 September;56(3):419-28.
- (670) Kjaer A, Larsen PJ, Knigge U, Jorgensen H, Warberg J. Neuronal histamine and expression of corticotropin-releasing hormone, vasopressin and oxytocin in the hypothalamus: relative importance of H1 and H2 receptors. *Eur J Endocrinol* 1998 August;139(2):238-43.
- (671) Kjaer A, Larsen PJ, Knigge U, Warberg J. Histaminergic activation of the hypothalamic-pituitary-adrenal axis. *Endocrinology* 1994 September;135(3):1171-7.
- (672) Simmen U, Higelin J, Berger-Buter K, Schaffner W, Lundstrom K. Neurochemical studies with St. John's wort in vitro. *Pharmacopsychiatry* 2001 July;34 Suppl 1:S137-S142.
- (673) Smelik PG. The effect of a CRF preparation on ACTH release in rats bearing hypothalamic dexamethasone implants: a study on the "implantation paradox". *Neuroendocrinology* 1969;5(3):193-204.

- (674) Yates FE, Brennan RD, Urquhart J. Application of control systems theory to physiology. Adrenal glucocorticoid control system. *Fed Proc* 1969 January;28(1):71-83.
- (675) Marx J. Cellular Warriors at the Battle of the Bulge. *Science* 3 A.D. February 7;299(5608):846-9.